




Blockgroup: 211110115091, KENTUCKY, EPA Region 4

Approximate Population: 587 Input Area (sq. miles): 0.60

Selected Variables	State	USA	
	Percentile	Percentile	
invironmental Justice Indexes			
EJ Index for Particulate Matter 2.5	86	73	
EJ Index for Ozone	89	74	
EJ Index for Diesel Particulate Matter*	80	62	
EJ Index for Air Toxics Cancer Risk*	73	61	
EJ Index for Air Toxics Respiratory HI*	79	63	
EJ Index for Traffic Proximity	83	70	
EJ Index for Lead Paint	33	38	
EJ Index for Superfund Proximity	86	58	
EJ Index for RMP Facility Proximity	73	56	
EJ Index for Hazardous Waste Proximity	82	62	
EJ Index for Underground Storage Tanks	· 84	· 67	
EJ Index for Wastewater Discharge	N/A	N/A	

E) Index for the Selected Area Compared to All People's Blockgroups in the State/US



This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

January 17, 2023


100





Blockgroup: 211110115091, KENTUCKY, EPA Region 4

Approximate Population: 587 Input Area (sq. miles): 0.60



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

RECEIVED

JAN 17 2023

PLANNING & DESIGN SERVICES

January 17, 2023

22-20NE-0076





Blockgroup: 211110115091, KENTUCKY, EPA Region 4

Approximate Population: 587 Input Area (sq. miles): 0.60

Selected Variables	Value	State Avg.	%ile in State	USA Avg.	%ile in USA
Pollution and Sources	Annual Control of Cont				
Particulate Matter 2.5 (μg/m³)	9.75	8.86	83	8.67	80
Ozone (ppb)	45	42.3	94	42.5	75
Diesel Particulate Matter* (μg/m³)	0.283	0.221	71	0.294	50-60th
Air Toxics Cancer Risk* (lifetime risk per million)	30	28	99	28	80-90th
Air Toxics Respiratory HI*	0.4	0.36	95	0.36	80-90th
Traffic Proximity (daily traffic count/distance to road)	870	420	87	760	79
Lead Paint (% Pre-1960 Housing)	0.052	0.23	20	0.27	26
Superfund Proximity (site count/km distance)	0.055	0.039	83	0.13	47
RMP Facility Proximity (facility count/km distance)	0.29	0.69	57	0.77	48
Hazardous Waste Proximity (facility count/km distance)	1.2	0.76	81	2.2	60
Underground Storage Tanks (count/km²)	3	1.1	88	3.9	67
Wastewater Discharge (toxicity-weighted concentration/m distance)	N/A	1.1	N/A	12	N/A
Socioeconomic Indicators					
Demographic Index	31%	26%	70	35%	53
People of Color	37%	16%	87	40%	57
Low Income	26%	36%	32	30%	47
Unemployment Rate	0%	5%	0	5%	0
Limited English Speaking Households	0%	1%	0	5%	0
Less Than High School Education	9%	13%	38	12%	51
Under Age 5	7%	6%	68	6%	69
Over Age 64	36%	16%	97	16%	94

^{*}Diesel particular matter, air toxics cancer risk, and air toxics respiratory hazard index are from the EPA's Air Toxics Data Update, which is the Agency's ongoing, comprehensive evaluation of air toxics in the United States. This effort aims to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that the air toxics data presented here provide broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. Cancer risks and hazard indices from the Air Toxics Data Update are reported to one significant figure and any additional significant figures here are due to rounding. More information on the Air Toxics Data Update can be found at: https://www.epa.gov/haps/air-toxics-data-update.

For additional information, see: www.epa.gov/environmentaljustice

RECEIVED

JAN 17 2023

PLANNING &

EJScreen is a screening tool for pre-decisional use only. It can help identify areas that may warrant adults GNe Control of the provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJScreen documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJScreen outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

January 17, 2023






the User Specified Area, KENTUCKY, EPA Region 4

Approximate Population: 1,147
Input Area (sq. miles): 0.17

Selected Variables	State	USA	
	Percentile	Percentile	
invironmental Justice Indexes			
EJ Index for Particulate Matter 2.5	83	69	
EJ Index for Ozone	87	70	
EJ Index for Diesel Particulate Matter*	77	59	
EJ Index for Air Toxics Cancer Risk*	64	56	
EJ Index for Air Toxics Respiratory HI*	74	58	
EJ Index for Traffic Proximity	81	69	
EJ Index for Lead Paint	27	33	
EJ Index for Superfund Proximity	82	53	
EJ Index for RMP Facility Proximity	66	48	
EJ Index for Hazardous Waste Proximity	77	54	
EJ Index for Underground Storage Tanks	73	55	
EJ Index for Wastewater Discharge	N/A	N/A	

E) Index for the Selected Area Compared to All People's Blockgroups in the State/US



This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

January 17, 2023

100


22-20NE-0076





the User Specified Area, KENTUCKY, EPA Region 4

Approximate Population: 1,147 Input Area (sq. miles): 0.17



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

RECEIVED

JAN 17 2023 PLANNING & DESIGN SERVICES





the User Specified Area, KENTUCKY, EPA Region 4

Approximate Population: 1,147 Input Area (sq. miles): 0.17

Selected Variables	Value	State Avg.	%ile in State	USA Avg.	%ile in USA
Pollution and Sources	Δ.		in the second se		
Particulate Matter 2.5 (μg/m³)	9.75	8.86	83	8.67	81
Ozone (ppb)	45	42.3	96	42.5	76
Diesel Particulate Matter* (μg/m³)	0.291	0.221	72	0.294	60-70th
Air Toxics Cancer Risk* (lifetime risk per million)	30	28	99	28	80-90th
Air Toxics Respiratory HI*	0.4	0.36	95	0.36	80-90th
Traffic Proximity (daily traffic count/distance to road)	1700	420	95	760	89
Lead Paint (% Pre-1960 Housing)	0.045	0.23	18	0.27	25
Superfund Proximity (site count/km distance)	0.053	0.039	81	0.13	46
RMP Facility Proximity (facility count/km distance)	0.23	0.69	52	0.77	42
Hazardous Waste Proximity (facility count/km distance)	0.86	0.76	75	2.2	53
Underground Storage Tanks (count/km²)	1.2	1.1	68	3.9	50
Wastewater Discharge (toxicity-weighted concentration/m distance)	N/A	1.1	N/A	12	N/A
Socioeconomic Indicators					
Demographic Index	27%	26%	59	35%	47
People of Color	49%	16%	92	40%	66
Low Income	6%	36%	5	30%	9
Unemployment Rate	15%	5%	91	5%	92
Limited English Speaking Households	0%	1%	0	5%	0
Less Than High School Education	11%	13%	46	12%	59
Under Age 5	1%	6%	11	6%	14
Over Age 64	13%	16%	37	16%	41

^{*}Diesel particular matter, air toxics cancer risk, and air toxics respiratory hazard index are from the EPA's Air Toxics Data Update, which is the Agency's ongoing, comprehensive evaluation of air toxics in the United States. This effort aims to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that the air toxics data presented here provide broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. Cancer risks and hazard indices from the Air Toxics Data Update are reported to one significant figure and any additional significant figures here are due to rounding. More information on the Air Toxics Data Update can be found at: https://www.epa.gov/haps/air-toxics-data-update.

For additional information, see: www.epa.gov/environmentaljustice

JAN 17 2023
PLANNING &
DESIGN SERVICES

EJScreen is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJScreen documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJScreen outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

January 17, 2023 3/






Blockgroup: 211110115093, KENTUCKY, EPA Region 4

Approximate Population: 2,160 Input Area (sq. miles): 0.51

Selected Variables	State Percentile	USA
Environmental Justice Indexes	Percentile	Percentile
EJ Index for Particulate Matter 2.5	95	87
EJ Index for Ozone	96	88
EJ Index for Diesel Particulate Matter*	92	77
EJ Index for Air Toxics Cancer Risk*	93	80
EJ Index for Air Toxics Respiratory HI*	94	82
EJ Index for Traffic Proximity	95	86
EJ Index for Lead Paint	62	61
EJ Index for Superfund Proximity	95	73
EJ Index for RMP Facility Proximity	84	67
EJ Index for Hazardous Waste Proximity	91	72
EJ Index for Underground Storage Tanks	· 91	· 74
EJ Index for Wastewater Discharge	N/A	N/A

EJ Index for the Selected Area Compared to All People's Blockgroups in the State/US



This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

January 17, 2023


22-20NE-0076





Blockgroup: 211110115093, KENTUCKY, EPA Region 4

Approximate Population: 2,160 Input Area (sq. miles): 0.51



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0





Blockgroup: 211110115093, KENTUCKY, EPA Region 4

Approximate Population: 2,160 Input Area (sq. miles): 0.51



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

RECEIVED

JAN 17 2023 PLANNING & DESIGN SERVICES

January 17, 2023

27-20NE-0076

2/3




DESIGN SERVICES

Blockgroup: 211110115093, KENTUCKY, EPA Region 4 EZOZ LINYC

Approximate Population: 2,160 Input Area (sq. miles): 0.51



Selected Variables	State Percentile	USA Percentile		
Environmental Justice Indexes				
EJ Index for Particulate Matter 2.5	95	87		
EJ Index for Ozone	96	88		
EJ Index for Diesel Particulate Matter*	92	77		
EJ Index for Air Toxics Cancer Risk*	93	80		
EJ Index for Air Toxics Respiratory HI*	94	82		
EJ Index for Traffic Proximity	95	86		
EJ Index for Lead Paint	62	61		
EJ Index for Superfund Proximity	95	73		
EJ Index for RMP Facility Proximity	84	67		
EJ Index for Hazardous Waste Proximity	91	72		
EJ Index for Underground Storage Tanks	91	74		
EJ Index for Wastewater Discharge	N/A	N/A		



This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.






Blockgroup: 211110115093, KENTUCKY, EPA Region 4

Approximate Population: 2,160 Input Area (sq. miles): 0.51

Selected Variables	Value	State Avg.	%ile in State	USA Avg.	%ile in USA
Pollution and Sources					-
Particulate Matter 2.5 (µg/m³)	9.75	8.86	83	8.67	80
Ozone (ppb)	45	42.3	94	42.5	75
Diesel Particulate Matter* (μg/m³)	0.283	0.221	71	0.294	50-60th
Air Toxics Cancer Risk* (lifetime risk per million)	30	28	99	28	80-90th
Air Toxics Respiratory HI*	0.4	0.36	95	0.36	80-90th
Traffic Proximity (daily traffic count/distance to road)	910	420	88	760	79
Lead Paint (% Pre-1960 Housing)	0.077	0.23	26	0.27	31
Superfund Proximity (site count/km distance)	0.056	0.039	83	0.13	47
RMP Facility Proximity (facility count/km distance)	0.22	0.69	51	0.77	41
Hazardous Waste Proximity (facility count/km distance)	0.7	0.76	71	2.2	50
Underground Storage Tanks (count/km²)	1.4	1.1	70	3.9	52
Wastewater Discharge (toxicity-weighted concentration/m distance)	N/A	1.1	N/A	12	N/A
Socioeconomic Indicators					
Demographic Index	53%	26%	93	35%	77
People of Color	62%	16%	95	40%	74
Low Income	44%	36%	63	30%	74
Unemployment Rate	7%	5%	68	5%	69
Limited English Speaking Households	10%	1%	96	5%	84
Less Than High School Education	10%	13%	42	12%	55
Under Age 5	11%	6%	86	6%	87
Over Age 64	4%	16%	5	16%	8

^{*}Diesel particular matter, air toxics cancer risk, and air toxics respiratory hazard index are from the EPA's Air Toxics Data Update, which is the Agency's ongoing, comprehensive evaluation of air toxics in the United States. This effort aims to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that the air toxics data presented here provide broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. Cancer risks and hazard indices from the Air Toxics Data Update are reported to one significant figure and any additional significant figures here are due to rounding. More information on the Air Toxics Data Update can be found at: https://www.epa.gov/haps/air-toxics-data-update.



JAN 17 2023
PLANNING &
DESIGN SERVICES

EJScreen is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJScreen documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJScreen outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

January 17, 2023 3/3





Blockgroup: 211110115093, KENTUCKY, EPA Region 4

Approximate Population: 2,160
Input Area (sq. miles): 0.51

Selected Variables	Value	State Avg.	%ile in State	USA Avg.	%ile in USA
Pollution and Sources	Construence Constr		CONTRACTOR	MANAGEMENT OF THE PARTY OF THE	
Particulate Matter 2.5 (µg/m³)	9.75	8.86	83	8.67	80
Ozone (ppb)	45	42.3	94	42.5	75
Diesel Particulate Matter* (μg/m³)	0.283	0.221	71	0.294	50-60th
Air Toxics Cancer Risk* (lifetime risk per million)	30	28	99	28	80-90th
Air Toxics Respiratory HI*	0.4	0.36	95	0.36	80-90th
Traffic Proximity (daily traffic count/distance to road)	910	420	88	760	79
Lead Paint (% Pre-1960 Housing)	0.077	0.23	26	0.27	31
Superfund Proximity (site count/km distance)	0.056	0.039	83	0.13	47
RMP Facility Proximity (facility count/km distance)	0.22	0.69	51	0.77	41
Hazardous Waste Proximity (facility count/km distance)	0.7	0.76	71	2.2	50
Underground Storage Tanks (count/km²)	1.4	1.1	70	3.9	52
Wastewater Discharge (toxicity-weighted concentration/m distance)	N/A	1.1	N/A	12	N/A
Socioeconomic Indicators					
Demographic Index	53%	26%	93	35%	77
People of Color	62%	16%	95	40%	74
Low Income	44%	36%	63	30%	74
Unemployment Rate	7%	5%	68	5%	69
Limited English Speaking Households	10%	1%	96	5%	84
Less Than High School Education	10%	13%	42	12%	55
Under Age 5	11%	6%	86	6%	87
Over Age 64	4%	16%	5	16%	8

^{*}Diesel particular matter, air toxics cancer risk, and air toxics respiratory hazard index are from the EPA's Air Toxics Data Update, which is the Agency's ongoing, comprehensive evaluation of air toxics in the United States. This effort aims to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that the air toxics data presented here provide broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. Cancer risks and hazard indices from the Air Toxics Data Update are reported to one significant figure and any additional significant figures here are due to rounding. More information on the Air Toxics Data Update can be found at: https://www.epa.gov/haps/air-toxics-data-update.

For additional information, see: www.epa.gov/environmentaljustice 3 9NINNAJd

KECEIVEL

EJScreen is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJScreen documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJScreen outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

22-20 NE-0076