Proactive Lead Inspections


An Evidence-based Best Practice

Rebecca Hollenbach, MPH | Policy and Equity Transformation Center for Health Equity, Louisville Metro Public Health and Wellness



Louisville's Current Tools are Insufficient

- Louisville's current lead safety tools are **re**active.
- Designed to trigger only after lead poisoning has already occurred.



HEALTH OUTCOMES

ROOT CAUSES


SYSTEMS OF POWER

Download the report at HealthEquityReport.com

Lead exposure cannot be cured, but it can be prevented.

- Reacting after a child is diagnosed with lead poisoning is too late.
 - There is no known safe level of lead.
 - Damages from lead are known to last a lifetime.
 - Damages are largely irreversible.
 - One study calculates a \$50,000 lifetime social cost of lead
 - Our cost for the 9,823 confirmed cases of lead poisoning in Louisville from 2005-2021 could be up to \$491 million.

Lead poisoning



Pro-active Lead Inspections: The Evidence Base

• Rochester, NY

- Studies show after 5 years, child lead poisoning dropped 2x as fast in Rochester as in the rest of New York.
- 13.4% to 1.1%, compared to the state decline in rate from 6.6% to 1.0%
- Detroit, MI
 - After 2010 inspection ordinance, percent of children under 6 testing positive for EBLL fell from 19% to 9% in 5 years, more than double the rate of Michigan as a whole.

Where else are pro-active inspections practiced?

- Philadelphia, PA
- Pittsburgh, PA
- Rochester, NY
- New York, NY
- Cleveland, OH

- Detroit, MI
- Washington, DC
- San Diego, CA
- State of New Jersey
- State of Maryland
- State of Rhode Island

Organizations endorsing pro-active lead safety inspections as best practice

- National Center for Healthy Housing
- Change-lab Solutions / City Health [endorsing pro-active rental inspections, including for lead]
- New York City Coalition to End Lead Poisoning
- US Department of Housing and Urban Development
- Health Justice Advocacy Clinic, Columbia University Law School