

Key Value	Keynote Text
6F	OPEN WEB WOOD ROOF TRUSSES REFER TO STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION
7AA	ASPHALT COMPOSITE SHINGLES OVER SYNTHETIC UNDERLAYMENT OVER EXTERIOR GRADE ROOF SHEATHING W/ CLIPS - REFER TO STRUCTURAL DRAWINGS
7C	R-38 UN-FACED BATT INSULATION
7N	FULLY ADHERED MEMBRANE ROOFING OVER 1/2" RIGID INSULATION OVER 3/4" EXTERIOR GRADE PLYWOOD SHEATHING W/ CLIPS. INSTALL PER MEMBRANE ROOFING MFR'S RECOMMENDATIONS
9C	5/8" TYPE "C" GYPSUM BOARD OVER 1/2" RESILIENT CHANNELS @ 12" O.C. (PER U.L. LIST FOR CEILING AND U.L. # P556 FOR ROOF) PROVIDE DRYWALL CONTROL JOINT EVERY 25 FEET



3 Elevation - Type A - Left
A201 1/16" = 1'-0"



4 Elevation - Type A - Right
A201 1/16" = 1'-0"



2 Elevation - Type A - Rear
A201 1/16" = 1'-0"

hip roof




1 Elevation - Type A - Front
A201 1/16" = 1'-0"

ARCHITECT

STUDIO ALLC

2330 frankfort ave
Louisville, ky 40206
p: (502) 589-8007
f: (502) 589-8004
www.studioarch.com

NOTE:
DOOR PLACEMENT UNLESS OTHERWISE DIMENSIONED ON PLANS. INSTALL DOORS PER THE FOLLOWING FINISH DIMENSIONS (LISTED BELOW (FACE OF G.W.B TO FACE OF G.W.B))



NOTE:
1. DIMENSIONS ON PLANS ARE FROM FACE OF STUD FRAMING TO FACE OF STUD.
2. FRAMING WINDOW & EXTERIOR DOOR LOCATIONS ARE SHOWN FOR REFERENCE ONLY. FOR EXACT WINDOW & DOOR LOCATIONS PLEASE REFER TO FLOOR DIMENSION PLANS.

KEY PLAN

RECEIVED
SEP. 30 2020
PLANNING & DESIGN SERVICES

Revisions		
No.	Description	Date

Seal

Client
LDG Development
1465 S Fourth St. Louisville, KY 40202

Project Name
Good Samaritan Way
10615 Watterson Trail
Jeffersonton, KY
NOT FOR CONSTRUCTION

BUILDING TYPE
A - EXTERIOR ELEVATIONS

Project number: 20-LD-07
Date: 7/27/2020

A201
Scale: 1/16" = 1'-0"

20-DDP-0057