

Proactive Lead Inspections

An Evidence-based Best Practice

Rebecca Hollenbach, MPH | Policy and Equity Transformation
Center for Health Equity, Louisville Metro Public Health and Wellness





DEPARTMENT OF
**PUBLIC HEALTH
AND WELLNESS**



Louisville's Current Tools are Insufficient

- Louisville's current lead safety tools are **reactive**.
- Designed to trigger only after lead poisoning has already occurred.



A stylized tree with a large green canopy and a brown trunk and roots. The canopy is composed of many rounded, overlapping green shapes. The trunk is a solid brown color, and the roots are brown and spread out in the soil. The soil is depicted as a brown layer with small, light brown circles representing rocks or soil texture. Above the canopy, the text 'HEALTH OUTCOMES' is written in bold black letters on a light gray rectangular background. Below the canopy, the text 'ROOT CAUSES' is written in bold black letters. Below the roots, the text 'SYSTEMS OF POWER' is written in bold black letters on a light gray rectangular background. A long black arrow points upwards from the 'ROOT CAUSES' level to the 'HEALTH OUTCOMES' level. A shorter black arrow points upwards from the 'SYSTEMS OF POWER' level to the 'ROOT CAUSES' level.

HEALTH OUTCOMES

ROOT CAUSES


SYSTEMS OF POWER

Lead exposure cannot be cured, but it can be prevented.


- Reacting **after** a child is diagnosed with lead poisoning is **too late**.
 - There is no known safe level of lead.
 - Damages from lead are known to last a lifetime.
 - Damages are largely irreversible.
 - One study calculates a \$50,000 lifetime social cost of lead
 - Our cost for the 9,823 confirmed cases of lead poisoning in Louisville from 2005-2021 could be up to \$491 million.

Lead poisoning

Rates of EBLL



% of pre-1950s rental housing



Pro-active Lead Inspections: The Evidence Base

- **Rochester, NY**

- Studies show after 5 years, child lead poisoning dropped 2x as fast in Rochester as in the rest of New York.
- 13.4% to 1.1%, compared to the state decline in rate from 6.6% to 1.0%

- **Detroit, MI**

- After 2010 inspection ordinance, percent of children under 6 testing positive for EBLI fell from 19% to 9% in 5 years, more than double the rate of Michigan as a whole.

Where else are pro-active inspections practiced?

- Philadelphia, PA
- Pittsburgh, PA
- Rochester, NY
- New York, NY
- Cleveland, OH
- Detroit, MI
- Washington, DC
- San Diego, CA
- State of New Jersey
- State of Maryland
- State of Rhode Island

Organizations endorsing pro-active lead safety inspections as best practice

- National Center for Healthy Housing
- Change-lab Solutions / City Health [endorsing pro-active rental inspections, including for lead]
- New York City Coalition to End Lead Poisoning
- US Department of Housing and Urban Development
- Health Justice Advocacy Clinic, Columbia University Law School