

ORDINANCE NO. 136, SERIES 2017

AN ORDINANCE APPROVING A TEXT AMENDMENT TO SECTION 4.1.3, LIGHTING OF THE LAND DEVELOPMENT CODE TO INCLUDE ADDITIONAL FORM DISTRICTS AND HEIGHT MEASUREMENT METHODOLOGY AND BEING IN LOUISVILLE METRO (CASE NO. 17AMEND1000).

SPONSORED BY: COUNCILWOMAN MADONNA FLOOD

WHEREAS, the Louisville Metro Planning Commission held a public hearing on this amendment on June 29, 2017 and unanimously recommended approval of this amendment as it conforms to the Guidelines of the Comprehensive Plan; and

WHEREAS, the Council concurs in and adopts the findings of the Planning Commission in Case No. 17AMEND1000 and approves and accepts the recommendations of the Planning Commission as set out in said minutes and records.


NOW THEREFORE BE IT ORDAINED BY THE LEGISLATIVE COUNCIL OF THE LOUISVILLE/JEFFERSON COUNTY METRO GOVERNMENT AS FOLLOWS:

SECTION I: The attached text amendments (Attachment A and Attachment B) to Section 4.1.3, Lighting of the Land Development Code to include additional form districts and height measurement methodology as shown in the Planning Commission's record in Case No. 17AMEND1000 and being in Louisville Metro are approved.

SECTION II: This Ordinance shall take effect upon its passage and approval.



H. Stephen Ott
Metro Council Clerk



Greg Fischer
Mayor



David Yates
President of the Council



Approval Date

APPROVED AS TO FORM AND LEGALITY:

Michael J. O'Connell
Jefferson County Attorney

By: John D. Connell

O-240-17(jc)



Attachment A

Amend Section 4.1.3.B.2.b of the Land Development Code as follows:

- b. The following items shall apply to the mounting height of luminaires:
- i. Within the **Neighborhood, Suburban Workplace, Suburban Marketplace Corridor, Regional Center, Campus, Village-Outlying,** or Village form district or within a form district transition zone related to a **Neighborhood or Village** ~~such~~ form districts, any luminaire with a lamp or lamps ~~rated at a total of that emit~~ more than 1800 lumens, and all flood or spot luminaires with a lamp or lamps rated at a total of more than 900 lumens shall be mounted at a height equal to or less than thirty (30) feet unless otherwise approved by the Planning Commission.
 - ii. Within the **Neighborhood,** Traditional Neighborhood, Traditional Workplace, **Town Center, Downtown,** or Traditional Marketplace Corridor form district or within a form district transition zone related to ~~the Traditional Neighborhood, Traditional Workplace or Traditional Marketplace Corridor~~ **such** form districts, any luminaire with a lamp or lamps ~~rated at a total of that emit~~ more than 1800 lumens, and all flood or spot luminaires with a lamp or lamps rated at a total of more than 900 lumens shall be mounted at a height equal to or less than twenty (20) feet unless otherwise approved by the Planning Commission.
 - iii. Luminaires mounted on residential structures shall be exempt from items (i.) and (ii.) above.

Amend Section 4.1.3.B. of the Land Development Code as follows:

12. Height Measurement

The mounting height of a luminaire subject to the requirements in this Section shall be measured as the distance from the finished grade immediately at the base of the support pole to the point of the luminaire that is closest to grade.

Attachment B

