

Louisville Metro Council City Agency Request

- **Neighborhood Development Fund (NDF)**
- Capital Infrastructure Fund (CIF)**
- Municipal Aid Program (MAP)**
- Paving Fund (PAV)**

Primary Sponsor: Marianne Butler

Amount: \$4,186.00 **Date:** September 10, 2017

Description of program/project including public purpose, additional funding sources, location of project/program and any external grantee(s):
Tree trimming along both sides of median and sidewalk to provide ample clearance for heavy vehicles and traffic along 2nd Street \$4,186.00

City Agency: Metro Parks
Contact Person: Erika Nelson/Mesude Ozyrekoglu
Agency Phone: 502-425-1020

I have reviewed this request for an expenditure of city tax dollars, and have determined the funds will be used for a public purpose and have the attached documentation from the receiving department concerning the project/expenditure.

15  \$ 4,186⁰⁰ 9/20/17
District # Council Member Signature Amount Date

Approved by: _____
Appropriations Committee Chairman Date

Clerk's Office & OMB Use Only:

Request Amount: _____ Amended Amount: _____
Reference #: _____ To OMB: _____
Budget Revision #: _____
Account #: _____
To Project Manager: _____ Completion Date: _____
Actual Cost: _____ Funds Returned: _____

NDF, CIF, MAP OR PAV INTERAGENCY CHECKLIST

Interagency Name: Parks and Recreation

Program/Project Name: Tree Trimming 2nd Street

	Yes/No/NA
Request Form: Is the Request Signed by all Council Member(s) Appropriating Funding?	Yes
Request Form: If matching funds are to be used, are they disclosed with account numbers in the request form description?	NA
Request Form: If matching funds are to be used, does the amount of the request exclude the matching fund amount?	NA
Request Form: If other funds are to be used for this project, are they disclosed with account numbers in the request form description?	NA
Funding Source: If CIF is being requested, does Metro Louisville own/will own the real estate, building or equipment? If not, the funding source is probably NDF.	NA
Funding Source: If CIF is being requested, does the project have a useful life of more than one year? If not, the funding source is probably NDF.	NA
Ordinance Required: Is the NDF request to a Metro Agency greater than \$5,000? If so, an ordinance is required.	No
Ordinance Required: Is the request a transfer from NDF to cost center? If so, is the amount given for the fiscal year \$25,000 or less?	No
Supporting Documentation: Does the attachment include a valid estimate and description of cost?	Yes

Submitted by: _____ Shughes

Date: Sep 20, 2017

Tree

Luckett, Daniel R

From: Luckett, Daniel R
Sent: Tuesday, September 5, 2017 10:08 AM
To: Luckett, Daniel R
Subject: FW: Median Tree Trimming

From: Nelson, Erika L
Sent: Friday, September 1, 2017 1:55 PM
To: Luckett, Daniel R
Subject: FW: Median Tree Trimming

Your follow up works!

From: Duyar, Mesude
Sent: Friday, September 1, 2017 1:51 PM
To: Nelson, Erika L
Subject: RE: Median Tree Trimming

I talked to them but failed to provide his contact info.

Jamey Draper with Bob Ray Tree Company is expecting a call from CW Butler's office. His phone number is (502) 773-0270.

Have a great weekend!

Mesude Ozyurekoglu, Ph.D, CPRP
Parks Administrator
9300 Whipps Mill Rd
Louisville, KY 40241
Office: (502)425-1020
Cell: (502) 439-8493



LOUISVILLE
**METRO
PARKS**

From: Nelson, Erika L
Sent: Friday, September 01, 2017 1:44 PM
To: Duyar, Mesude
Subject: FW: Median Tree Trimming

Hey Mesude –

Did you ever get the opportunity to have Bob Ray Co. contact CW Butler's Office? If you share his contact info, I can forward onto her aide.

If I don't talk to you, have a wonderful holiday weekend!

Erika

From: Nelson, Erika L
Sent: Thursday, August 24, 2017 1:25 PM
To: Lockett, Daniel R
Subject: RE: Median Tree Trimming

Hello Mr. Lockett –

I spoke with our Forestry Director, Mesude Duyar. We currently contract with the Bob Ray company on tree trimming and other maintenance work we are unable to perform in a timely manner. She is going to have him contact you regarding the job and location in order to provide you with a quote. I believe from there, we can request funds be JV'd over to the department to cover the cost of the maintenance.

Please let me know if you need any additional information.

Erika Nelson

Community Relations Administrator | Louisville Metro Parks & Recreation

Office: 502-574-6356

Cell: 502-445-3024

Erika.nelson@louisvilleky.gov



**METRO PARKS
AND RECREATION**
Escape. Explore. Connect.



Connect with us on:

[Facebook](#) | [Twitter](#) | [Instagram](#)

From: Lockett, Daniel R
Sent: Tuesday, August 22, 2017 11:40 AM
To: Nelson, Erika L
Subject: Median Tree Trimming

Hi Ms. Nelson!

Per our conversation, the Councilwoman asked me to inquire if Metro Parks could/would trim trees along a street median on/in the middle of S. 2nd Street running from just south of W. Florence Ave to W. Garrett Street? Some tree limbs are hanging in the drive lanes (hitting cars, trucks & school buses) and need trimmed up & back. The majority of the tree are fine however the most concentrated area for trimming is 4200 & 4400 blocks of S. 2nd Street, although all areas need inspecting for possible trimming. The Councilwoman is willing to pay for O.T. if needed. Please let me know what can possibly be done. Thank you!

Median
Tree Trimming on S.
2nd Street.

Luckett, Daniel R

From: Butler, Marianne
Sent: Monday, September 18, 2017 10:51 AM
To: Luckett, Daniel R
Cc: Hughes, Susan
Subject: Re: Scan from Bob Ray Co.

Let's do it -- I assume we can run it through parks?

Marianne

From: Luckett, Daniel R
Sent: Monday, September 18, 2017 10:15:57 AM
To: Butler, Marianne
Cc: Hughes, Susan
Subject: FW: Scan from Bob Ray Co.

They want \$4186.00 to trim!

From: Adam Palmer [<mailto:Adamp@bobrayco.com>]
Sent: Friday, September 15, 2017 3:58 PM
To: Luckett, Daniel R
Subject: FW: Scan from Bob Ray Co.

Thank you,

Adam Palmer
Certified Arborist
Bob Ray Co., Inc.
502-425-7654 Office
502-773-1120 Cell

From: copier
Sent: Friday, September 15, 2017 4:04 PM
To: Adam Palmer
Subject: Scan from Bob Ray Co.

Luckett, Daniel R

From: Luckett, Daniel R
Sent: Tuesday, September 19, 2017 11:22 AM
To: Luckett, Daniel R
Subject: FW: tree trimming on S 2nd median between Garrett & Florence

From: Brown, Jeffrey E
Sent: Friday, August 18, 2017 3:42 PM
To: Luckett, Daniel R
Cc: Maier, Tim; Thompson, Erin
Subject: tree trimming on S 2nd median between Garrett & Florence

Dan,
For trimming, this would fall back on the abutting property owners because of the tree ordinance.

Jeffrey Brown, PE
Assistant Director of Public Works
444 S 5th St, 4th Floor
Louisville, KY 40202
(502)574-0065
Cell (502)773-3222
Jeffrey.brown@louisvilleky.gov



Bob Ray Co., Inc.

"No Job Too Small, No Tree Too Tall"
www.bobrayco.com

#81 Emailed 9-13-17
Re 9-15-17

Customer Name Louisville Metro - Dan Lockett Date 9-13-17
 Phone 574-1115 Cell _____ Fax _____
 Job Location 4200 & 4400 Blocks of S. 2nd St City Louisville State Ky Zip _____
 Billing Address (if different) _____ Email Daniel.Lockett@Louisvilleky.gov gov gov org

- Specifications for Contract (or) Estimates -

Crawly raise trees along both sides of median and sidewalks back and up away from public right of way to provide ample clearance for heavy vehicle traffic. (Approximately 15'-20' of ground clearance)

COSTS:

We propose to furnish material, labor and equipment to complete work in accordance with above specifications. The Bob Ray Co., Inc.'s estimated cost for the performance of the tasks presented above is \$ 4,186.00 Should there be any reason to modify the scope of work, the Bob Ray Co., Inc. will require your approval with a revised estimated cost before commencing any such additional work.

All work is to be completed in a workmanlike manner. All agreements are contingent upon weather, accidents and other delays beyond our control. See reverse side for the terms and conditions of work to be performed. The above price(s) and specification(s) are satisfactory and hereby accepted. You are authorized to do the work as specified.

This agreement and any noted attachments constitutes the entire agreement between the Bob Ray Co., Inc. and the below signed concerning the subject matter hereof. This agreement supersedes all prior agreements, discussions, representations, warranties and covenants between the Parties with respect to the above specified work. There are no warranties, representations, covenants or agreements, expressed or implied, between the parties except those expressly set forth in this agreement. Any amendments or modifications of this agreement shall be in writing and executed by the contracting parties.

Your signature below will constitute a binding contract.

Representative's Signature William Palmer Customer's Signature _____
 Date 9-13-17 Date _____





Bob Ray Co., Inc.

Terms and Conditions of work to be performed

The following terms and conditions are part of the confirmation of work to be performed by Bob Ray Co., Inc. for the authorizing party (Client), and with the information on the preceding page(s), constitute the entire agreement.

- Bob Ray Co., Inc. is insured for liability resulting from injury to persons or property, and all of its employees are covered under workers compensation insurance.
- Bob Ray Co., Inc. assumes no liabilities or responsibilities for any cracking, breaking, puncturing, depressing, or any other damage to any driveway, patio or any other paved, bricked, stoned, concrete or asphalted surface resulting from trucks and equipment being used to access the job.
- Bob Ray Co., Inc. is not responsible for damage to irrigation lines, drain lines, invisible fences, cables or any other underground utilities, unless the systems are accurately marked and mapped by the client and a copy is presented to Bob Ray Co., Inc. before the work is performed.
- Bob Ray Co., Inc. will not be held responsible for any unforeseen or abnormal reaction to any trees, shrubs or lawns resulting from the proper application of chemicals and formulations according to their appropriate labels.
- Clean-up shall include removing wood, brush, clippings and raking of the entire area affected by the specified work, unless noted otherwise in this proposal.
- Stump removal is not included in the tree removal price unless specified in this agreement. Surface and subsurface roots beyond the stump are not removed unless specified.
- Cables and braces reduce, but do not remove the risk of branch and trunk failure. All supplemental support systems have a finite life and should be inspected annually or after any significant weather event. It is the client's responsibility to contact Bob Ray Co., Inc. to schedule this service for an additional fee.
- Trees inherently pose a certain degree of hazard and risk from breakage, failure or other causes and conditions. Recommendations made are intended to minimize or reduce such hazards. There can be no guarantee that efforts to discover or correct unsafe conditions will prevent future breakage or failure, nor can there be any guarantee that all hazardous conditions have been detected. The client shall not infer that a tree is safe either because work has been done to reduce risk, or because no work has been recommended on a specific tree.
- Any additional work required to complete the work specified, caused by the client's failure to make known or caused by previously unknown foreign material in the trunk, branches, underground, or any other condition not apparent in estimating the work, shall be paid for by the client on a time and material basis.
- Client affirms all trees and vegetation upon which work is to be performed are owned by the client, or that authorization for the work has been obtained from the rightful property owner. Furthermore, Client shall be responsible for compensating Bob Ray Co., Inc. for any and all damages collected against Bob Ray Co., Inc. by any third party demonstrating actual ownership of the trees and vegetation upon which the work was performed.
- Client is responsible for obtaining and paying for all required local permits necessary to perform work described in this agreement.
- Estimates older than 45 days are subject to change.
- Payment is to be received upon completion of the work and receipt of invoice. In the event that the scope of the work changes, Bob Ray Co., Inc. will be paid for all items on this proposal that have been completed.
- Both the Client and Bob Ray Co., Inc. agree to attempt to work out any disputes regarding this agreement through direct negotiation and/or mediation prior to seeking any other legal remedy.
- Payment not received within thirty days of date billed will result in an additional charge of 1.5% per month. In addition, the customer is responsible for the cost and expense of collection, including reasonable attorney fees incurred in the collection process. There will be a fee of \$30 for all returned checks.

ANSI A300 Pruning Specifications

Crown Cleaning – Selective pruning to remove one or more of the following parts: dead, diseased, and/or broken branches.

Crown Thinning – Selective pruning to reduce density of live branches.

Crown Raising – Selective pruning to provide vertical clearance.

Crown Reduction – Selective pruning to decrease height and/or spread.

Crown Restoration – Selective pruning to improve the structure, form and appearance of trees that have been severely headed, vandalized, or damaged.

Vista Pruning – Selective pruning to allow a specific view.

Stump Grinding Standards

Grind and Leave Lay – Grind 8-10" below grade, leaving grindings where they land.

Grind and Backfill All – Grind 8-10" below grade and put chips back in hole, although there will sometimes be excess chips.

Grind and Haul Excess – Grind 8-10" below grade and haul excess chips leaving hole at or near ground level.

Grind and Soil Backfill – Haul away all chips and fill hole with topsoil.

Add Visible Surface Roots – same specifications as above.

Total Grind – Grind a minimum of 18", or enough to allow replacement of the tree.

Deep Water Your Plants

From May through October your trees are actively growing and depend on water to carry out their daily processes. We do not have optimum rainfall during these months.

You hear different opinions on how to water your trees and most of them are guesses. The Tree Care Industry Association says that a mature shade tree has the capability of absorbing 80 to 100 gallons of water from the soil every 24 hours that the tree supports green foliage. One of the primary purposes of tree roots is to absorb the needed amount of water – if you take care of the roots, you're taking care of an essential part of the tree.


The soil environment determines root growth. 90% of a tree's absorbing roots will usually be found within the upper 12 to 15 inches where soil conditions are closest to ideal. Both too little and too much soil moisture can be a problem for roots. When absorbing roots use up all the available moisture nearby, they stop taking up water and root tip growth stops. If re-watered immediately after growth stops, new root growth may not take place for a week. If water is withheld longer, root growth can take up to five weeks to resume, and some of the smaller roots may die.

Prolonged soil saturation fills spaces normally occupied by air. In most soils, if less than eight to ten percent oxygen is available, roots are killed and cannot take up moisture, this results in wilted/droopy leaves that are dry to the touch - the same symptoms as drought.

Soaker hoses in landscape beds once every three weeks for four to six hours will promote excellent health. *Sprinklers* are necessary for trees. Root systems spread far beyond the branch tips if soil is available and the entire root zone should be watered. An eight hour soaking once every four to five weeks – May through October enables enough roots to absorb this water and have a reserve that will last until the next watering about one month later. In some situations you may need to adjust the length of time: hillsides may take longer, low areas less. Prolonged windy conditions increase the amount of moisture lost from leaves. This may result in a need to increase frequency *i.e.* from every five weeks to every four.

Lack of watering or watering for short periods of time can cause new roots to come to the surface where they are more vulnerable to drying.

For recently transplanted trees, only the root ball needs to be watered. One to two gallons of water per inch of trunk caliper (measured six inches above the soil) is the proper amount. A five-gallon bucket with holes punched in the bottom will allow you to measure the amount as well as slowly apply the water. Landscape sized trees (less than 4 inches) planted in the Spring should be watered twice weekly for two to five months, then weekly until established. It takes 12 months per inch of trunk caliper to establish the tree. Increase volume cannot make up for lack of frequency, and watering soon after transplanting is a priority – playing catch-up doesn't work.



CUSTOMER COPY