

Planning Commission
Staff Report
February 1, 2018



Case No:	17ZONE1042
Request:	R-4 to C-1
Project Name:	Speedwash
Location:	9808, 9818, 9818R Hillock Drive & 8018 & 8102 Old Bardstown Rd
Owner:	Old Bardstown Investment Group, LLC
Applicant:	Speedwash Carwash
Representative:	Wyatt, Tarrant & Combs, LLP
Jurisdiction:	Louisville Metro
Council District:	22 – Robin Engel
Case Manager:	Laura Mattingly, AICP, Planner II

REQUEST(S)

- Change in Zoning from R-4, Single Family Residential to C-1, Commercial on .699 acres
- Waiver of Section 10.2.10 to reduce the 15' Vehicle Use Area Landscape Buffer Area along Old Bardstown Road and Hillock Drive to 10'
- Waiver of 5.9.2.A.1.b.i to not provide a pedestrian connection from the public sidewalk
- Waiver of 5.9.2.A.1.b.ii to not provide vehicular or pedestrian connection to the non-residential use to the south
- Variance from Section 5.3.2, Table 5.3.2 to allow the building to exceed the maximum front setback of 80' by 40'
- Detailed District Development Plan

CASE SUMMARY/BACKGROUND

This site is located in the Fern Creek area on the west side of Old Bardstown Road, just south of the Gene Snyder Freeway. The applicant is proposing a car wash on six parcels, four of which are currently zoned C-1 totaling 2.05 acres. The two parcels along the west side are currently zoned R-4, Single Family Residential. The applicant is requesting these two parcels to be re-zoned to C-1 in order to construct a 9,947 square foot care wash with detailing bays. Self-service stations and a drive-thru car wash building are also proposed.

Previous Cases on Site:

12491: Minor Plat to create two lots from one.

14ZONE1027: Change in zoning from R-4, Single-Family Residential to C-1, Commercial for 8018-8102 Old Bardstown Rd and 9816 and 9816-R Hillock Drive. Approved 11/20/14.

STAFF FINDINGS

Staff finds that the proposed zoning change generally complies with the applicable guidelines and policies of Cornerstone 2020. The area to be re-zoned is a small expansion of the existing commercial corridor into the abutting residential area, and appears to be justified with appropriate transitions to less intense uses. The proposed auto-related service is appropriately located just off of a major arterial and near I-265. The building design will be similar in scale to nearby commercial properties with comparable setbacks and height. The use provides a service to the area and adequate screening and plantings are provided along both Old Bardstown Road and Hillock Drive. The site is easily accessed from Bardstown Road and includes a realignment of Old

Bardstown Road and the addition of public sidewalks which will increase vehicular safety and pedestrian connectivity in the area.

TECHNICAL REVIEW

MSD and Transportation have given preliminary approvals.

INTERESTED PARTY COMMENTS

Staff received phone calls prior to the December 14, 2017 LD&T meeting. Adjoining property owner, Carolyn Bean, had concerns over traffic safety at the intersection of Hillock and Old Bardstown and that there are already a number of car washes in the area, making this one unnecessary. Mildred Carrico also had concerns over traffic safety and stated that she holds the rights to the private access easement for Hillock and has not given permission to the car wash to use the easement. Rhonda Hatfield also emailed with concerns about the impact on her business, which is adjacent to the proposed car wash.

STANDARD OF REVIEW FOR REZONING

Criteria for granting the proposed form district change/rezoning: KRS Chapter 100.213

1. The proposed form district/rezoning change complies with the applicable guidelines and policies Cornerstone 2020; OR
2. The existing form district/zoning classification is inappropriate and the proposed classification is appropriate; OR
3. There have been major changes of an economic, physical, or social nature within the area involved which were not anticipated in Cornerstone 2020 which have substantially altered the basic character of the area.

STAFF ANALYSIS FOR REZONING

The Following is a summary of staff's analysis of the proposed rezoning against the Guidelines and Policies of Cornerstone 2020:

The site is located in the Neighborhood Form District

The Neighborhood Form is characterized by predominantly residential uses that vary from low to high density and that blend compatibly into the existing landscape and neighborhood areas. High-density uses will be limited in scope to minor or major arterials and to areas that have limited impact on the low to moderate density residential areas.

The Neighborhood Form will contain diverse housing types in order to provide housing choice for differing ages and incomes. New neighborhoods are encouraged to incorporate these different housing types within a neighborhood as long as the different types are designed to be compatible with nearby land uses. These types may include, but not be limited to large lot single family developments with cul-de-sacs, neo-traditional neighborhoods with short blocks or walkways in the middle of long blocks to connect with other streets, villages and zero lot line neighborhoods with open space, and high density multi-family condominium-style or rental housing.

The Neighborhood Form may contain open space and, at appropriate locations, civic uses and neighborhood centers with a mixture of uses such as offices, retail shops, restaurants and services. These neighborhood centers should be at a scale that is appropriate for nearby neighborhoods. The Neighborhood Form should provide for accessibility and connectivity between adjacent uses and neighborhoods by automobile, pedestrian, bicycles and transit.

Neighborhood streets may be either curvilinear, rectilinear or in a grid pattern and should be designed to invite human interaction. Streets are connected and easily accessible to each other, using design elements such as short blocks or bike/walkways in the middle of long blocks to connect with other streets. Examples of design elements that encourage this interaction include narrow street widths, street trees, sidewalks, shaded seating/gathering areas and bus stops. Placement of utilities should permit the planting of shade trees along both sides of the streets.

This proposal is a service use, located just off Bardstown Road, a major arterial. The use is located among other commercial establishments, but is also in close proximity to residential. Public sidewalks are proposed that will increase pedestrian connectivity in the area and improve access to public transit. The proposed realignment of Old Bardstown Road will increase vehicular safety in the area. Buffering and screening is provided to protect surrounding residences and public rights of way from visual intrusions. Setbacks are appropriate and similar to nearby commercial uses.

STANDARD OF REVIEW AND STAFF ANALYSIS FOR WAIVER of Section 10.2.10 to reduce the 15' Vehicle Use Area Landscape Buffer Area along Old Bardstown Road and Hillock Drive to 10'

(a) The waiver will not adversely affect adjacent property owners; and

STAFF: The waiver will not adversely affect adjacent property owners as the required plantings and screening will still be provided and the Vehicle Use Area buffers in question are adjacent to the public right of way.

(b) The waiver will not violate specific guidelines of Cornerstone 2020; and

STAFF: The waiver will not violate Guideline 3, Compatibility, of Cornerstone 2020, which calls for the protection of roadway corridors and public areas from visual intrusions, for mitigation of parking areas so as not to negatively impact nearby residents and pedestrians, and for screening and buffering of parking areas adjacent to streets. The waiver will not violate Guideline 13, Landscape Character, which calls for the protection of parkways through standards for buffers, landscape treatment, lighting and signs. The purpose of vehicle use area landscape buffer areas is to improve the appearance of vehicular use areas and property abutting public rights-of-way. These guidelines are not violated as the proposed vehicle use area buffer will still include all the required plantings and screening which will meet the intent of the guidelines.

(c) The extent of the waiver of the regulation is the minimum necessary to afford relief to the applicant; and

STAFF: The extent of the waiver of the regulation is the minimum necessary to afford relief to the applicant as all other landscaping requirements have been met and the area of pavement is needed to provide the services on site as well as adequate drive lanes.

(d) Either:

(i) The applicant has incorporated other design measures that exceed the minimums of the district and compensate for non-compliance with the requirements to be waived (net beneficial effect); OR
(ii) The strict application of the provisions of the regulation would deprive the applicant of the reasonable use of the land or would create an unnecessary hardship on the applicant.

STAFF: The strict application of the provisions of the regulation would create an unnecessary hardship on the applicant as needed vehicle use area would have to be removed and significant site design changes would have to be made.

STANDARD OF REVIEW AND STAFF ANALYSIS FOR WAIVER of 5.9.2.A.1.b.i to not provide a pedestrian connection from the public sidewalk

- (a) The waiver will not adversely affect adjacent property owners; and

STAFF: The waiver will not adversely affect adjacent property owners as public sidewalks are provided that will increase pedestrian connectivity.

- (b) The waiver will not violate specific guidelines of Cornerstone 2020; and

STAFF: Guideline 9, Policy 1 states that new development should provide, where appropriate, for the movement of pedestrians, bicyclists and transit users with walkways for access to public transportation stops. These guidelines are not violated as pedestrian connections throughout site and to the adjacent site are not appropriate as the primary users of this site are vehicle drivers. The proposal includes public sidewalks that will increase pedestrian connectivity and transit access.

- (c) The extent of the waiver of the regulation is the minimum necessary to afford relief to the applicant; and

STAFF: The extent of the waiver of the regulation is the minimum necessary to afford relief to the applicant as pedestrian connections are not necessary for a use that only serves vehicles.

- (d) Either:

(i) The applicant has incorporated other design measures that exceed the minimums of the district and compensate for non-compliance with the requirements to be waived (net beneficial effect); OR

(ii) The strict application of the provisions of the regulation would deprive the applicant of the reasonable use of the land or would create an unnecessary hardship on the applicant.

STAFF: The strict application of the provisions of the regulation would create an unnecessary hardship on the applicant as providing pedestrian connections are not compatible with the development.

STANDARD OF REVIEW AND STAFF ANALYSIS FOR WAIVER of 5.9.2.A.1.b.ii to not provide vehicular or pedestrian connection to the non-residential use to the south

- (a) The waiver will not adversely affect adjacent property owners; and

STAFF: The waiver will not adversely affect adjacent property owners as the adjacent property has its own access from Old Bardstown Road that will not be affected by the proposed development.

- (b) The waiver will not violate specific guidelines of Cornerstone 2020; and

STAFF: Guideline 2, Policy 13 encourages adjacent development sites to share entrance and parking facilities in order to reduce the number of curb cuts and the amount of surface parking. Guideline 7, Policy 13 requires joint and cross access easements according to standards set forth in the Land Development Code to reduce traffic on major thoroughfares and to reduce safety hazards. Guideline 7, Policy 16 calls for the promotion of joint access and circulation systems for development sites comprised of more than one building site or lot. The purpose of the requirements to be waived are to allow similar, compatible non-residential and multi-family uses to access adjacent sites without use of the main road to reduce curb cuts, the amount of surface parking, and traffic on the main thoroughfare. These guidelines are not violated as safe access is provided to both properties and cross access is not appropriate for the proposed use due the nature of the business. The car wash site design requires a secure facility.

- (c) The extent of the waiver of the regulation is the minimum necessary to afford relief to the applicant; and

STAFF: The extent of the waiver of the regulation is the minimum necessary to afford relief to the applicant as cross connectivity would create security issues for the applicant.

- (d) Either:
(i) The applicant has incorporated other design measures that exceed the minimums of the district and compensate for non-compliance with the requirements to be waived (net beneficial effect); OR
(ii) The strict application of the provisions of the regulation would deprive the applicant of the reasonable use of the land or would create an unnecessary hardship on the applicant.

STAFF: The strict application of the provisions of the regulation would create an unnecessary hardship on the applicant as providing cross access creates security issues for the proposed use.

STANDARD OF REVIEW AND STAFF ANALYSIS FOR VARIANCE from Section 5.3.2, Table 5.3.2 to allow the building to exceed the maximum front setback of 80' by 40'

- (a) The requested variance will not adversely affect the public health, safety or welfare.

STAFF: The requested variance will not adversely affect public health, safety or welfare as the proposed setback will not affect visibility for drivers or pedestrians.

- (b) The requested variance will not alter the essential character of the general vicinity.

STAFF: The requested variance will not alter the essential character of the general vicinity as the proposed setback is similar to nearby commercial properties.

- (c) The requested variance will not cause a hazard or nuisance to the public.

STAFF: The requested variance will not cause a hazard or nuisance to the public as the building location does not affect visibility from public areas.

- (d) The requested variance will not allow an unreasonable circumvention of the zoning regulations.

STAFF: The requested variance will not allow an unreasonable circumvention of zoning regulations as a portion of the setback requirement has been met.

ADDITIONAL CONSIDERATIONS:

1. The requested variance arises from special circumstances which do not generally apply to land in the general vicinity or the same zone.

STAFF: The requested variance does not arise from special circumstances which do not generally apply to land in the general vicinity or the same zone.

2. The strict application of the provisions of the regulation would deprive the applicant of the reasonable use of the land or create an unnecessary hardship on the applicant.

STAFF: The strict application of the provisions of the regulation would create an unnecessary hardship on the applicant as the site layout would have to be substantially altered from the business's typical design due to typical car queuing along the portion of the building that does not meet the maximum setback.

3. The circumstances are the result of actions of the applicant taken subsequent to the adoption of the zoning regulation from which relief is sought.

STAFF: The circumstances are not the result of actions of the applicant taken subsequent to the adoption of the zoning regulation from which relief is sought.

STANDARD OF REVIEW AND STAFF ANALYSIS FOR DDDP

- a. The conservation of natural resources on the property proposed for development, including: trees and other living vegetation, steep slopes, water courses, flood plains, soils, air quality, scenic views, and historic sites;

STAFF: No tree canopy will be preserved, but all tree canopy and other planting requirements will be met. LOJIC has not identified any other natural features on site.

- b. The provisions for safe and efficient vehicular and pedestrian transportation both within the development and the community;

STAFF: Provisions for safe and efficient vehicular and pedestrian transportation within and around the development and the community has been provided, and Metro Public Works has approved the preliminary development plan. The applicant has also proposed the realignment of Old Bardstown Road that will improve safety at its intersection with Hillock Drive.

- c. The provision of sufficient open space (scenic and recreational) to meet the needs of the proposed development;

STAFF: There is no open space requirement for this site.

- d. The provision of adequate drainage facilities on the subject site in order to prevent drainage problems from occurring on the subject site or within the community;

STAFF: The Metropolitan Sewer District has approved the preliminary development plan and will ensure the provision of adequate drainage facilities on the subject site in order to prevent drainage problems from occurring on the subject site or within the community.

- e. The compatibility of the overall site design (location of buildings, parking lots, screening, landscaping) and land use or uses with the existing and projected future development of the area;

STAFF: The overall site design and land uses are compatible with the existing and future development of the area. Appropriate landscape buffering and screening will be provided to screen adjacent properties and roadways.

- f. Conformance of the development plan with the Comprehensive Plan and Land Development Code. Revised plan certain development plans shall be evaluated for conformance with the non-residential and mixed-use intent of the form districts and comprehensive plan.

STAFF: The development plan generally conforms to applicable guidelines and policies of the Comprehensive Plan and to requirements of the Land Development Code.

REQUIRED ACTIONS

- **RECOMMEND APPROVAL or DENIAL** to Metro Council of Change in Zoning from R-4, Single Family Residential to C-1, Commercial on .699 acres
- **APPROVE or DENY** the Waiver of Section 10.2.10 to reduce the 15' Vehicle Use Area Landscape Buffer Area along Old Bardstown Road and Hillock Drive to 10'
- **APPROVE or DENY** the Waiver of 5.9.2.A.1.b.i to not provide a pedestrian connection from the public sidewalk
- **APPROVE or DENY** the Waiver of 5.9.2.A.1.b.ii to not provide vehicular or pedestrian connection to the non-residential use to the south
- **APPROVE or DENY** the Variance from Section 5.3.2, Table 5.3.2 to allow the building to exceed the maximum front setback of 80' by 40'
- **APPROVE or DENY** the Detailed District Development Plan

NOTIFICATION

Date	Purpose of Notice	Recipients
11/30/17 & 12/22/17	Hearing before LD&T	1 st and 2 nd tier adjoining property owners Speakers at Planning Commission public hearing Subscribers of Council District 22 Notification of Development Proposals
1/16/18	Hearing before PC	1 st and 2 nd tier adjoining property owners Speakers at Planning Commission public hearing Subscribers of Council District 22 Notification of Development Proposals
1/18/18	Hearing before PC	Sign Posting on property
1/19/18	Hearing before PC	Legal Advertisement in the Courier-Journal

ATTACHMENTS

1. Zoning Map
2. Aerial Photograph
3. Cornerstone 2020 Staff Checklist
4. Existing/Proposed Binding Elements

1. Zoning Map



2. Aerial Photograph



3. Cornerstone 2020 Staff Checklist

- + Exceeds Guideline
- ✓ Meets Guideline
- Does Not Meet Guideline
- +/- More Information Needed
- NA Not Applicable

Neighborhood: Non-Residential

#	Cornerstone 2020 Plan Element	Plan Element or Portion of Plan Element	Staff Finding	Staff Comments
1	Community Form/Land Use Guideline 1: Community Form	B.3: The proposal is a neighborhood center with a mixture of uses such as offices, retail shops, restaurants and services at a scale that is appropriate for nearby neighborhoods.	✓	This proposal is not a neighborhood center but is located near a mix of other commercial uses such as retail and restaurants.
2	Community Form/Land Use Guideline 1: Community Form	B.3: If the proposal is high intensity, it is located on a major or minor arterial or an area with limited impact on low to moderate intensity residential uses.	✓	The proposal is located just off Bardstown Road, a major arterial.
3	Community Form/Land Use Guideline 2: Centers	A.1/7: The proposal, which will create a new center, is located in the Neighborhood Form District, and includes new construction or the reuse of existing buildings to provide commercial, office and/or residential use.	NA	The proposal is not a new center.
4	Community Form/Land Use Guideline 2: Centers	A.3: The proposed retail commercial development is located in an area that has a sufficient population to support it.	NA	The proposal is not a retail use.
5	Community Form/Land Use Guideline 2: Centers	A.4: The proposed development is compact and results in an efficient land use pattern and cost-effective infrastructure investment.	✓	The proposal utilizes the entire site and is cost effective due to existing infrastructure.
6	Community Form/Land Use Guideline 2: Centers	A.5: The proposed center includes a mix of compatible land uses that will reduce trips, support the use of alternative forms of transportation and encourage vitality and sense of place.	NA	The proposal is not a new center.
7	Community Form/Land Use Guideline 2: Centers	A.6: The proposal incorporates residential and office uses above retail and/or includes other mixed-use, multi-story retail buildings.	✓	The proposal is a single use but is in close proximity to a mix of commercial and residential uses.
8	Community Form/Land Use Guideline 2: Centers	A.12: If the proposal is a large development in a center, it is designed to be compact and multi-purpose, and is oriented around a central feature such as a public square or plaza or landscape element.	NA	The proposal is not located in a center.

#	Cornerstone 2020 Plan Element	Plan Element or Portion of Plan Element	Staff Finding	Staff Comments
9	Community Form/Land Use Guideline 2: Centers	A.13/15: The proposal shares entrance and parking facilities with adjacent uses to reduce curb cuts and surface parking, and locates parking to balance safety, traffic, transit, pedestrian, environmental and aesthetic concerns.	✓	While cross access with this use is not appropriate, any other use proposed on this site will connect to the property to the south.
10	Community Form/Land Use Guideline 2: Centers	A.14: The proposal is designed to share utility hookups and service entrances with adjacent developments, and utility lines are placed underground in common easements.	✓	The proposal is locate near commercial developments with existing utilities and compatible utilities will be placed in a common easement.
11	Community Form/Land Use Guideline 2: Centers	A.16: The proposal is designed to support easy access by bicycle, car and transit and by pedestrians and persons with disabilities.	✓	A public sidewalk is proposed which promotes pedestrian connectivity to nearby transit
12	Community Form/Land Use Guideline 3: Compatibility	A.2: The proposed building materials increase the new development's compatibility.	✓	A note has been place on plan that indicates that building design will be in compliance with 5.6, although applicant will be required to submit elevations.
13	Community Form/Land Use Guideline 3: Compatibility	A.4/5/6/7: The proposal does not constitute a non-residential expansion into an existing residential area, or demonstrates that despite such an expansion, impacts on existing residences (including traffic, parking, signs, lighting, noise, odor and stormwater) are appropriately mitigated.	✓	This proposal is a non-residential expansion into a residential area, but the setbacks and buffers will be provided adjacent to the single family home to the west.
14	Community Form/Land Use Guideline 3: Compatibility	A.5: The proposal mitigates any potential odor or emissions associated with the development.	✓	The proposal is providing the required screening for adjacent less intense uses.
15	Community Form/Land Use Guideline 3: Compatibility	A.6: The proposal mitigates any adverse impacts of its associated traffic on nearby existing communities.	✓	The realignment of Old Bardstown Road mitigates for any traffic impacts associated with the proposal.
16	Community Form/Land Use Guideline 3: Compatibility	A.8: The proposal mitigates adverse impacts of its lighting on nearby properties, and on the night sky.	✓	All lighting will be in accordance with LDC standards.
17	Community Form/Land Use Guideline 3: Compatibility	A.11: If the proposal is a higher density or intensity use, it is located along a transit corridor AND in or near an activity center.	✓	The proposal is located just west of Bardstown Road, a major transit corridor.

#	Cornerstone 2020 Plan Element	Plan Element or Portion of Plan Element	Staff Finding	Staff Comments
18	Community Form/Land Use Guideline 3: Compatibility	A.21: The proposal provides appropriate transitions between uses that are substantially different in scale and intensity or density of development such as landscaped buffer yards, vegetative berms, compatible building design and materials, height restrictions, or setback requirements.	✓	The buffers adjacent to the residences are provided.
19	Community Form/Land Use Guideline 3: Compatibility	A.22: The proposal mitigates the impacts caused when incompatible developments unavoidably occur adjacent to one another by using buffers that are of varying designs such as landscaping, vegetative berms and/or walls, and that address those aspects of the development that have the potential to adversely impact existing area developments.	✓	The buffer adjacent to single family is provided.
20	Community Form/Land Use Guideline 3: Compatibility	A.23: Setbacks, lot dimensions and building heights are compatible with those of nearby developments that meet form district standards.	✓	While a variance is required, the proposed setback is similar to commercial development along Old Bardstown Road.
21	Community Form/Land Use Guideline 3: Compatibility	A.24: Parking, loading and delivery areas located adjacent to residential areas are designed to minimize adverse impacts of lighting, noise and other potential impacts, and that these areas are located to avoid negatively impacting motorists, residents and pedestrians.	✓	Most VUA is located adjacent to the roadway and the appropriate LBAs have been provided adjacent to residential.
22	Community Form/Land Use Guideline 3: Compatibility	A.24: The proposal includes screening and buffering of parking and circulation areas adjacent to the street, and uses design features or landscaping to fill gaps created by surface parking lots. Parking areas and garage doors are oriented to the side or back of buildings rather than to the street.	✓	While a waiver to decrease the VUA LBA is required, adequate screening and plantings will be provided, that will protect the roadway from visual intrusions. The proposal also meets Interior Landscaping requirements.
23	Community Form/Land Use Guideline 3: Compatibility	A.25: Parking garages are integrated into their surroundings and provide an active, inviting street-level appearance.	NA	There is no parking garage included in this proposal.
24	Community Form/Land Use Guideline 3: Compatibility	A.28: Signs are compatible with the form district pattern and contribute to the visual quality of their surroundings.	✓	Signage will be in compliance with LDC standards.

#	Cornerstone 2020 Plan Element	Plan Element or Portion of Plan Element	Staff Finding	Staff Comments
25	Community Form/Land Use Guideline 4: Open Space	A.2/3/7: The proposal provides open space that helps meet the needs of the community as a component of the development and provides for the continued maintenance of that open space.	NA	There is no open space requirement with this proposal.
26	Community Form/Land Use Guideline 4: Open Space	A.4: Open space design is consistent with the pattern of development in the Neighborhood Form District.	NA	There is no open space requirement with this proposal.
27	Community Form/Land Use Guideline 4: Open Space	A.5: The proposal integrates natural features into the pattern of development.	✓	The proposal will require the removal of existing vegetation, although all tree canopy and planting requirements will be met.
28	Community Form/Land Use Guideline 5: Natural Areas and Scenic and Historic Resources	A.1: The proposal respects the natural features of the site through sensitive site design, avoids substantial changes to the topography and minimizes property damage and environmental degradation resulting from disturbance of natural systems.	✓	The proposal will require the removal of existing vegetation, although all tree canopy and planting requirements will be met.
29	Community Form/Land Use Guideline 5: Natural Areas and Scenic and Historic Resources	A.2/4: The proposal includes the preservation, use or adaptive reuse of buildings, sites, districts and landscapes that are recognized as having historical or architectural value, and, if located within the impact area of these resources, is compatible in height, bulk, scale, architecture and placement.	NA	There does not appear to be any historical resources on site.
30	Community Form/Land Use Guideline 5: Natural Areas and Scenic and Historic Resources	A.6: Encourage development to avoid wet or highly permeable soils, severe, steep or unstable slopes with the potential for severe erosion.	✓	LOJIC has not identified any wetlands on site.
31	Marketplace Guideline 6: Economic Growth and Sustainability	A.3: Encourage redevelopment, reinvestment and rehabilitation in the downtown where it is consistent with the form district pattern.	NA	The proposal is not located downtown.
32	Marketplace Guideline 6: Economic Growth and Sustainability	A.4: Encourage industries to locate in industrial subdivisions or adjacent to existing industry to take advantage of special infrastructure needs.	NA	This is not an industrial proposal.
33	Marketplace Guideline 6: Economic Growth and Sustainability	A.6: Locate retail commercial development in activity centers. Locate uses generating large amounts of traffic on a major arterial, at the intersection of two minor arterials or at locations with good access to a major arterial and where the proposed use will not adversely affect adjacent areas.	NA	This is not a retail development.

#	Cornerstone 2020 Plan Element	Plan Element or Portion of Plan Element	Staff Finding	Staff Comments
34	Marketplace Guideline 6: Economic Growth and Sustainability	A.8: Require industrial development with more than 100 employees to locate on or near an arterial street, preferably in close proximity to an expressway interchange. Require industrial development with less than 100 employees to locate on or near an arterial street.	NA	This is not an industrial development.
35	Mobility/Transportation Guideline 7: Circulation	A.1/2: The proposal will contribute its proportional share of the cost of roadway improvements and other services and public facilities made necessary by the development through physical improvements to these facilities, contribution of money, or other means.	✓	The proposal includes roadway improvements to Old Bardstown Road.
36	Mobility/Transportation Guideline 7: Circulation	A.3/4: The proposal promotes mass transit, bicycle and pedestrian use and provides amenities to support these modes of transportation.	✓	While the proposal will be not providing pedestrian or crossover access, a new sidewalk is proposed that will increase pedestrian connectivity and transit access and improvements are proposed to Old Bardstown Road that will increase safety for vehicles, which the use is targeting.
37	Mobility/Transportation Guideline 7: Circulation	A.6: The proposal's transportation facilities are compatible with and support access to surrounding land uses, and contribute to the appropriate development of adjacent lands. The proposal includes at least one continuous roadway through the development, adequate street stubs, and relies on cul-de-sacs only as short side streets or where natural features limit development of "through" roads.	✓	The proposal is using an existing roadway and access is acceptable.
38	Mobility/Transportation Guideline 7: Circulation	A.9: The proposal includes the dedication of rights-of-way for street, transit corridors, bikeway and walkway facilities within or abutting the development.	✓	The proposal includes the realignment of Old Bardstown Road as well as new sidewalks along the site's frontage which will increase pedestrian connectivity and vehicular safety.
39	Mobility/Transportation Guideline 7: Circulation	A.10: The proposal includes adequate parking spaces to support the use.	✓	The proposal meets parking requirements.
40	Mobility/Transportation Guideline 7: Circulation	A.13/16: The proposal provides for joint and cross access through the development and to connect to adjacent development sites.	✓	This proposal will only add one "out only" curb cut on Old Bardstown Road. Cross access to the property to the south in this case is not appropriate due to the design of the car wash and the need for a secure facility.
41	Mobility/Transportation Guideline 8: Transportation Facility Design	A.8: Adequate stub streets are provided for future roadway connections that support and contribute to appropriate development of adjacent land.	NA	There are no new roadways proposed.

#	Cornerstone 2020 Plan Element	Plan Element or Portion of Plan Element	Staff Finding	Staff Comments
42	Mobility/Transportation Guideline 8: Transportation Facility Design	A.9: Avoid access to development through areas of significantly lower intensity or density if such access would create a significant nuisance.	✓	Access is from the existing local roadway, which intersects with a major arterial just to the east.
43	Mobility/Transportation Guideline 8: Transportation Facility Design	A.11: The development provides for an appropriate functional hierarchy of streets and appropriate linkages between activity areas in and adjacent to the development site.	✓	The proposal is using the existing roadway network.
44	Mobility/Transportation Guideline 9: Bicycle, Pedestrian and Transit	A.1/2: The proposal provides, where appropriate, for the movement of pedestrians, bicyclists and transit users around and through the development, provides bicycle and pedestrian connections to adjacent developments and to transit stops, and is appropriately located for its density and intensity.	✓	The users of this site will be vehicle therefore pedestrian connections are not appropriate. Public sidewalks are proposed along the frontage and will increase transit access as the site is located near a major transit route with TARC stops within a few hundred feet. Bike racks are provided primarily for employees.
45	Livability/Environment Guideline 10: Flooding and Stormwater	The proposal's drainage plans have been approved by MSD, and the proposal mitigates negative impacts to the floodplain and minimizes impervious area. Solid blue line streams are protected through a vegetative buffer, and drainage designs are capable of accommodating upstream runoff assuming a fully-developed watershed. If streambank restoration or preservation is necessary, the proposal uses best management practices.	✓	MSD has given preliminary approvals.
46	Livability/Environment Guideline 12: Air Quality	The proposal has been reviewed by APCD and found to not have a negative impact on air quality.	✓	APCD has no issues with the site.
47	Livability/Environment Guideline 13: Landscape Character	A.3: The proposal includes additions and connections to a system of natural corridors that can provide habitat areas and allow for migration.	NA	This area is highly developed and there are no existing natural corridors to connect to in this location.
48	Community Facilities Guideline 14: Infrastructure	A.2: The proposal is located in an area served by existing utilities or planned for utilities.	✓	This area is developed and served by utilities.
49	Community Facilities Guideline 14: Infrastructure	A.3: The proposal has access to an adequate supply of potable water and water for fire-fighting purposes.	✓	There are existing water utilities and a fire hydrant located at the corner of Hillock and Old Bardstown.

#	Cornerstone 2020 Plan Element	Plan Element or Portion of Plan Element	Staff Finding	Staff Comments
50	Community Facilities Guideline 14: Infrastructure	A.4: The proposal has adequate means of sewage treatment and disposal to protect public health and to protect water quality in lakes and streams.	✓	The proposal will hook up to existing sewage lines.

4. Existing/Proposed Binding Elements

1. The development shall be in accordance with the approved district development plan, all applicable sections of the Land Development Code (LDC) and agreed upon binding elements unless amended pursuant to the Land Development Code. Any changes/additions/alterations of any binding element(s) shall be submitted to the Planning Commission or the Planning Commission's designee for review and approval; any changes/additions/alterations not so referred shall not be valid.
2. Construction fencing shall be erected when off-site trees or tree canopy exists within 3' of a common property line. Fencing shall be in place prior to any grading or construction to protect the existing root systems from compaction. The fencing shall enclose the entire area beneath the tree canopy and shall remain in place until all construction is completed. No parking, material storage or construction activities are permitted within the protected area.
3. Before any permit (including but not limited to building, parking lot, change of use, site disturbance, alteration permit or demolition permit) is requested:
 - a. The development plan must receive full construction approval from ~~Louisville Metro Department of Inspections, Permits and Licenses, Louisville Metro Public Works Develop Louisville~~ and the Metropolitan Sewer District.
 - b. Encroachment permits must be obtained from the Kentucky Department of Transportation, Bureau of Highways.
 - c. The property owner/developer must obtain approval of a detailed plan for screening (buffering/landscaping) as described in Chapter 10 prior to requesting a building permit. Such plan shall be implemented prior to occupancy of the site and shall be maintained thereafter.
 - d. A legal instrument shall be recorded consolidating the property into one lot. A copy of the recorded instrument shall be submitted to the Division of Planning and Design Services; transmittal of the approved plans to the office responsible for permit issuance will occur only after receipt of said instrument.
4. A certificate of occupancy must be received from the appropriate code enforcement department prior to occupancy of the structure or land for the proposed use. All binding elements requiring action and approval must be implemented prior to requesting issuance of the certificate of occupancy, unless specifically waived by the Planning Commission.
5. The applicant, developer, or property owner shall provide copies of these binding elements to tenants, purchasers, contractors, subcontractors and other parties engaged in development of this site and shall advise them of the content of these binding elements. These binding elements shall run with the land and the owner of the property and occupant of the property shall at all times be responsible for compliance with these binding elements. At all times during development of the site, the applicant and developer, their heirs, successors; and assignees, contractors, subcontractors, and other parties engaged in development of the site, shall be responsible for compliance with these binding elements.

6. The materials and design of proposed structures shall be substantially the same as depicted in the rendering as presented at the ~~November 20, 2014~~ **February 1, 2018** Planning Commission meeting.
7. ~~Upon the development or redevelopment of abutting properties~~ **At such time that this property is redeveloped for a use other than a car wash**, a unified access and circulation system shall be developed to eliminate preexisting curb cuts **along Old Bardstown Road** and provide for vehicular movement throughout abutting sites as determined appropriate by the Department of Public Works. A cross access agreement to run with the land and in a form acceptable to the Planning Commission legal counsel shall be recorded prior to the time of construction approval for the abutting property to be developed.
- ~~8. The proposed easternmost access point from the site to Hillock Drive is to be closed and a new access point to the site be made from the site to the relocated Old Bardstown Road as shown on the development plan. The owner shall then also provide a pedestrian access from the front of the building to the abutting sidewalk along relocated Old Bardstown Road and striping through the VUA.~~
- 9.a The area identified for future right-of-way for the relocation of Old Bardstown Road, as shown, shall be dedicated to public use by minor plat or deed at the applicant's expense within 60 days of request by the Director of Louisville Metro Public Works.
- 10.b A 25 ft LBA shall be provided along the rear property line with an 8 ft high privacy fence and tall shrubs.
- 11 A 15 ft LBA shall be provided along the south property line with an 8 ft high privacy fence and tall shrubs to where the day care ends and the office property begins

11. Hours of operation will be ^{limited to} 8am to 9pm. ~~7 days a week.~~