GENERAL

- Parking areas and drive lanes to be a hard and durable surface. No increase in drainage run off to state roadways.
- There shall be no commercial signs in the Right of Way.
- There shall be no landscaping in the Right of Way without an encroachment permit. 5. Site lighting shall not shine in the eyes of drivers. If it does it shall be re-aimed,
- shielded, or turned off. 6. Mitigation measures for dust control shall be in place during construction to prevent fugitive particulate emissions from reaching existing roads and neighboring properties.
- 7. No lots shown hereon may be subdivided or re—subdivided resulting in the creation of a greater number of lots than originally approved by the planning commission. 8. Construction fencing shall be erected at the edge of the limits of disturbance areas prior to any grading or construction activities. The fencing is to remain in place until
- all construction is completed. No parking, material storage, or construction activities shall be permitted within the fenced area. 9. A soil erosion and sedimentation control plan shall be developed and implemented in accordance with the Metropolitan Sewer District and USDA Soil Conservation Service
- 10. All open space lots are non-buildable and will be recorded as open space and utility 11. Benchmark Elevation is 714.55 (NAVD 1988) Chiseled square in concrete curb near
- accessible ramp on the southwest corner of Helm Place Lane and Hartland Ave
- 12. Compatible on-site utilities, (electric, phone, cable) shall be placed in a common
- trench unless otherwise required by appropriate agencies.
- 13. The site is located in a Karst terrain area. Development of the site is subject to Chapter 4, Section 9 of the Land Development Code. No Karst Features were evident during a site visit on 10-27-16 by Kevin M. Young, RLA.
- 14. D.B. 10183, Page 535 provides a perpetual pedestrian & vehicular cross access

MSD NOTES:

1. No portion of the site is within the 100 year flood plain per FIRM Map No. 21111 C

0050 E dated December 5, 2006. 2. Drainage pattern depicted by arrows (\iiii) is for conceptual purposes. Final configuration and size of drainage pipes and channels shall be determined during the construction plan design process. Drainage facilities shall conform to MSD

3. If the site has thru drainage an easement plat will be required prior to MSD granting

- construction plan approval. On-site detention will be required post-developed peak flows will be limited to pre-developed peaks or to the capacity of the downstream system whichever is more restrictive. A Downstream Facilities Capacity Request was submitted to MSD on Oct. 31, 2016.
- The final design of this project must meet all MS4 water quality regulations established by MSD. Site layout may change at the design phase due to proper sizing of Green Best Management Practices.
- Erosion & Silt Control shown is conceptual only, and final design will be determined on construction plans. Prior to any construction activities on the site a Erosion & Silt Control Plan shall be
- provided to MSD for approval. Runoff from this development is conveyed to an existing on-site detention basin. All proposed sewer and drain easements shall be 15' unless otherwise indicated.
- 10. Proposed sewers are by both Lateral Extension and connection and are subject to
- 11. Portion of the site draining into the English Station Storm system is subject to regional facility fees.

STREETS & SIDEWALKS

the owner's/developer's expense.

sidewalk or edge of pavement or curb.

1. Sidewalks within the subdivision shall be provided in accordance with Table 6.2.1 of the

Land Development Code. 2. Street grades shall not be less than 1% (Min.) or 10% (max.).

3. A Bond & Encroachment Permit is required by Metro Public Works for all work within the South English Station Road Right-Of-Way, and for roadway approaches on all surrounding

access roads to the subdivision site due to damages caused by construction traffic. . Verges shall be provided as required by Metro Public Works.

5. All streets, intersections, loop roads, cul-de-sacs, bulbs, traffic circles and rights-of-way shall be in accordance with the Development Code and Metro Public Works' standards and approved at the time of construction. 6. All street name signs shall conform with the MUTCD requirements and shall be installed

prior to the recording of the applicable subdivision plat or prior to obtaining the first certificate of occupancy and shall be in place at time of bond release. 7. The location and type of plantings within the street right-of-way will be evaluated for roadway safety and sight distance requirements by Metro Public Works which reserves the

right to remove them without the property owner's approval. 8. Should any existing drainage structures and/or utilities located within offsite rights-of-way become necessary to be altered, extended or relocated, such shall be at

9. All roadway intersections shall meet the requirements for landing areas as set by Metro Public Works. 10. The minimum driveway length is 25 feet from garage or building facade to back of

VARIANCES GRANTED

 A Variance was granted on November 7th 2013 (Case B-247-05) from the Louisville Metro Land Development Code to reduce the PRD minimum rear yard setback to 10 ft.

A Variance was granted on July 3rd 2006 (Case B-247-05) from the Louisville Metro Land Development Code to allow the condominium building height to exceed 45 ft.

3. A Variance was granted on June 20th 2005 (Case B-96-05) from the Louisville Metro Land Development Code to allow the clubhouse to be zero ft. from south & north zoning boundary line, proposed apartment building to be zero ft. on the south zoning boundary line and 5 condominiums units to be located zero ft. from the west zoning boundary line.

4. A Variance was granted (Case 8524) from the Louisville Metro Land Development Code to allow the clubhouse to exceed the maximum allowed height.

WAIVER GRANTED

1. A Waiver was granted (Case 9208) from the Louisville Metro Land Development Code to allow a retaining wall within a Landscape Buffer Area.

EROSION PREVENTION AND SEDIMENT CONTROL NOTES 1. The approved erosion prevention and sediment control (EPSC) plan shall

Any modifications to the approval EPSC plan must be reviewed and

be implemented prior to any land-disturbing activity on the construction approved by MSD's private development review office. EPSC BMP's shall be installed per the plan and MSD standards. Detention basins, if applicable, shall be constructed first and shall perform as sediment basins during construction until the contributing

drainage areas are seeded and stabilized. Actions must be taken to minimize the tracking of mud and soil from construction areas onto public roadways. Soil tracked onto the roadway shall be removed daily. Soil stockpiles shall be located away from streams, ponds, swales and

catch basins. Stockpiles shall be seeded, mulched, and adequately contained through the use of silt fence. All stream crossings must utilize low-water crossing structures per MSD standard drawing ER-02.

Where construction or land disturbance activity will or has temporarily ceased on any portion of a site, temporary site stabilization measures shall be required as soon as practicable, but no later than 14 calender


days after the activity has ceased.


Sediment-laden groundwater encountered during trenching, boring or other excavation activities shall be pumped to a sediment trapping device prior to being discharge into a stream, pond, swale or catch basin. All storm drainage shall conform to MSD standard specifications.

9. Construction fencing shall be erected prior to any construction or grading activities preventing compaction of root systems of trees to be preserved. The fencing shall enclose the area beneath the dripline of the tree canopy and shall remain in place. No parking, material storage, or construction activities shall be permitted within the fenced area.



LOCATION MAP NOT TO SCALE







REVISED PRELIMINARY SUBDIVISION PLAN & REVISED DETAILED DISTRICT DEVELOPMENT PLAN

= 15 FT


= 3 FT

DEVELOPER ELITE HOMES 6218 SHELBYVILLE ROAD Louisville, Ky 40245 PHONE: (502) 245-6159 COUNCIL DISTRICT - 20

MINIMUM SIDE YARD

CASE: 16DEVPLAN1182 RELATED CASES: B-247-05 B-96-05W 15369 9-59-02VW FIRE PROTECTION DISTRICT - MIDDLETOWN

LAND DESIGN & DEVELOPMENT, INC. 503 WASHBURN AVENUE, SUITE 101 LOUISVILLE, KENTUCKY 40222 PHONE: (502) 426-9374 FAX: (502) 426-9375 JOB: 14170 DATE: 09/01/16



D.B. 9542, PG. 0153

D.B. , PG.

D.B., PG.

16 DEVPLAN 1132

13ZONE1010

WM #7533