

Sign Face Art to Be Printed

Cabinet PMS Color:
PANTONE Black C

Colors used:

CMYK	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PMS	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			PMS 7541 C	PMS 192 C	PMS 1805 C
			PMS Trans. White C		PMS 426 C

TRANSPORTATION APPROVAL
MINOR PLAT

BY: *[Signature]* **RECEIVED**
APR 13 2018

DATE: *4/24/18* **PLANNING &
DESIGN SERVICES**

PRELIMINARY APPROVAL

Conditionally approved:

Tony Kelly 4-25-18 Date


Developed by: Review

METROPOLITAN DEVELOPMENT DISTRICT

JEFFERSON COUNTY



PARKLAND BAPTIST CHURCH



Notes: *PDS copy*

18 WAIVER 1014

FABRICATION CHECK LIST

L.E.D. Message Units

- connect Master/Slave cable
(does not apply to single face signs)
- run wifi antenna cable in to I.D. cabinet
(cable found in lower right panel of master unit)
- side covers include vents
- store accessory boxes inside ID cabinet
- electrical wired together and whip coiled
(long enough to hit ground + 2 feet)

I.D. Cabinet/Pole Cover

- polycarbonate faces w/ 2nd surface art
(unless otherwise specified)
- photo-cell and disconnect switch
(tied in to electrical whip)
- touch-up paint *(without catalyst/hardener)*
- lifting tabs & all sheet metal screws

Crating

- accessories & mounting bolts in ID cabinet
(or between LED units)
- sign paint is completely dry
(tied in to electrical whip)
- wrap/pack ID cabinet and LED units
(include protection from straps)
- substantial buffer between pedestal & sign
- shop photos


Completed By: _____

Date: _____ /2018
For questions please call 502-622-7620

Notes: Side view may vary due to mounting techniques.


18 WAIVER 1014

42.36 sf.



Customer Approval _____ Date _____

Install Type: GRS new footer
Steel Support Required: 4x4" tube, .25" wall, 178" long
Cabinet Color: Pantone Black C



FABRICATION CHECK LIST

L.E.D. Message Units

- connect Master/Slave cable
(does not apply to single face signs)
- run wifi antenna cable in to I.D. cabinet
(cable found in lower right panel of master unit)
- side covers include vents
- store accessory boxes inside ID cabinet
- electrical wired together and whip coiled
(long enough to hit ground + 2 feet)

I.D. Cabinet/Pole Cover

- polycarbonate faces w/ 2nd surface art
(unless otherwise specified)
- photo-cell and disconnect switch
(tied in to electrical whip)
- touch-up paint *(without catalyst/hardener)*
- lifting tabs & all sheet metal screws

Crating


- accessories & mounting bolts in ID cabinet
(or between LED units)
- sign paint is completely dry
(tied in to electrical whip)
- wrap/pack ID cabinet and LED units
(include protection from straps)
- substantial buffer between pedestal & sign
- shop photos

Completed By: _____

Date: _____ /2018
For questions please call 502-622-7620

Notes: Side view view may vary due to mounting techniques.

18 WAIVER 1014




RECEIVED
APR 13 2018
PLANNING &
DESIGN SERVICES

Customer Approval	Date
-------------------	------

Install Type: GRS new footer

Steel Support Required: 4x4" tube, .25" wall, 178" long

Cabinet Color: Pantone Black C



FABRICATION CHECK LIST

L.E.D. Message Units

- connect Master/Slave cable
(does not apply to single face signs)
- run wifi antenna cable in to I.D. cabinet
(cable found in lower right panel of master unit)
- side covers include vents
- store accessory boxes inside ID cabinet
- electrical wired together and whip coiled
(long enough to hit ground + 2 feet)

I.D. Cabinet/Pole Cover

- polycarbonate faces w/ 2nd surface art
(unless otherwise specified)
- photo-cell and disconnect switch
(tied in to electrical whip)
- touch-up paint *(without catalyst/hardener)*
- lifting tabs & all sheet metal screws

Crating

- accessories & mounting bolts in ID cabinet
(or between LED units)
- sign paint is completely dry
(tied in to electrical whip)
- wrap/pack ID cabinet and LED units
(include protection from straps)
- substantial buffer between pedestal & sign
- shop photos


Completed By: _____

For questions please
call 502-622-7620

Date: _____ /2018

Notes: Side view may vary due to mounting techniques.

18 WAIVER 1014




RECEIVED
APR 13 2018
PLANNING &
DESIGN SERVICES

Customer Approval _____ Date _____

Install Type: GRS new footer

Steel Support Required: 4x4" tube, .25" wall, 178" long

Cabinet Color: Pantone Black C



Current Sign Location/Conditions




Notes:

18 WAIVER 1014

RECEIVED
APR 13 2018
PLANNING &
DESIGN SERVICES

GRS
GOLDEN RULE SIGNS

Mockup of Completed Install








RECEIVED
APR 7 5 2018
PLANNING &
DESIGN SERVICES

Notes:

18 WAIVER 1014

Electrical Layout / Plan

-  ID cabinet power whip
-  master EMC whip
-  master slave cable
-  client provided primary




Notes:

RECEIVED
APR 13 2018

PLANNING &
DESIGN SERVICES





RECEIVED
APR 13 2018
PLANNING &
DESIGN SERVICES

18 WAIVER 1014



Length units: Feet
 Measurement Result
 Length: 3264.37 ft



RECEIVED
 APR 13 2018
 PLANNING &
 DESIGN SERVICES

18 WAIVER 1014



RECEIVED
APR 13 2018
PLANNING &
DESIGN SERVICE

18 WAIVER 10 14

RECEIVED 10 14