


WAIVER REQUEST:

A waiver is being requested from Table 9.1.2 of the Louisville Metro Land Development Code to reduce the required amount of parking spaces from 26 to 10.



LOCATION MAP
NOT TO SCALE

| | | |
|-------------------------------|---|-------------------------|
| TOTAL SITE AREA | = | 1.88± Ac. (81,815 SF) |
| EXISTING ZONING | = | R-4 |
| PROPOSED ZONING | = | C-M |
| FORM DISTRICT | = | SUBURBAN WORKPLACE |
| EXISTING USE | = | VACANT |
| PROPOSED USE | = | MINI-STORAGE |
| BUILDING HEIGHT | = | (45' MAX. ALLOWED) |
| BUILDING FOOTPRINT | = | 20,777 SF |
| TOTAL BUILDING AREA (3-STORY) | = | 62,331 SF |
| F.A.R. (62,331 / 81,815) | = | 0.76 (5.0 MAX. ALLOWED) |

| | | | |
|---------------------------------------|---|---------------------|-------|
| PARKING REQUIRED | | MIN. | MAX. |
| OFFICE (520 SF) | | | |
| 1 SP/500 SF MIN. | = | 2 SP | |
| 1 SP/250 SF MAX. | = | | 3 SP |
| MINI-WAREHOUSE (360 UNITS) | | | |
| 1 SP/15 CLIMATE CONTROLLED UNITS MIN. | = | 24 SP | |
| 1 SP/5 CLIMATE CONTROLLED UNITS MAX. | = | | 72 SP |
| TOTAL PARKING REQUIRED | = | 26 SP | 75 SP |
| TOTAL PARKING PROVIDED | | | |
| | = | 10 SPACES | |
| | | (2 ADA SP INCLUDED) | |

| | | |
|----------------------------------|---|-----------------------------------|
| TOTAL VEHICULAR USE AREA | = | 13,866 SF (INCLUDES LOADING AREA) |
| INTERIOR LANDSCAPE AREA REQUIRED | = | 1,040 SF (7.5%) |
| INTERIOR LANDSCAPE AREA PROVIDED | = | 1,215 SF (8.8%) |

| | | |
|---------------------|---|-----------|
| EXISTING IMPERVIOUS | = | 0 SF |
| PROPOSED IMPERVIOUS | = | 34,779 SF |

TREE CANOPY CALCULATIONS



| | | |
|--|---|---------------------------------|
| TOTAL SITE AREA | = | 81,815 SF |
| EXISTING TREE CANOPY | = | 56,643 SF (69.2% SITE) |
| EXISTING TREE CANOPY TO BE PRESERVED | = | 11,324 SF (20.0% OF EXISTING) |
| TREE CANOPY REQUIRED (INDUSTRIAL USE) | = | 24,545 SF (30% GROSS SITE AREA) |
| TREE CANOPY TO BE PROVIDED (24,545 - 11,324) | = | 13,221 SF |
| TOTAL TREE CANOPY PROVIDED (13,221 SF + 11,324 SF) | = | 24,545 SF (30%) |

GENERAL NOTES:

- Parking areas and drive lanes to be a hard and durable surface.
- An encroachment permit and bond will be required for all work done in the right-of-way.
- State Highway encroachment permit will be required for the entrance.
- No increase in drainage run off to state roadways.
- There shall be no commercial signs in the Right of Way.
- There shall be no landscaping in the Right of Way without an encroachment permit.
- Site lighting shall not shine in the eyes of drivers. If it does it shall be re-aimed, shielded, or turned off.
- Construction fencing shall be erected prior to any construction or grading activities preventing compaction of root systems of trees to be preserved. The fencing shall enclose the area beneath the drip line of the tree canopy and shall remain in place. No parking, material storage, or construction activities shall be permitted within the fenced area.
- Mitigation measures for dust control shall be in place during construction to prevent fugitive particulate emissions from reaching existing roads and neighboring properties.
- KTC permit will be required prior to construction plan approval.
- Accessory structures shall be in compliance with sections 5.5.5 and 10.2.6 of the Louisville Metro Land Development Code.
- A Karst survey was performed on 1-09-2021 by Theodore Bernstein, RLA and no KARST features were observed.
- Fee-in-lieu sought for sidewalks along Blankenbaker Access Drive and Chenoweth Run Road due to construction constraints.

MSD NOTES:

- No portion of the site is within the 100 year flood plain per FIRM Map No. 21111 C 0084 F dated February 2, 2021.
- Drainage pattern depicted by arrows (==>) is for conceptual purposes. Final configuration and size of drainage pipes and channels shall be determined during the construction plan design process. Drainage facilities shall conform to MSD requirements.
- Onsite detention will be provided. Post-developed peak flows will be limited to pre-developed peak flows for the 2, 10, 25-year storms and 50% reduction in the 100-year storm, or to the capacity of the downstream system, whichever is more restrictive. Evaluation of the downstream system will require inclusion of the pond on the adjacent property in modeling pre- and post-development routings. In the event modification to the downstream pond is incorporated into the design the engineer should contact MSD with respect to the modifications and potential easement requirements.
- Erosion & Silt Control shown is conceptual only, and final design will be determined on construction plans. Prior to any construction activities on the site a Erosion & Silt Control Plan shall be provided to MSD for approval.
- Sanitary sewer service is not readily available to this parcel. Alternative means of sanitary waste disposal will be coordinated with Louisville Metro Department of Public Health & Wellness.
- Construction Plans and documents shall comply with Louisville and Jefferson County Metropolitan Sewer District's Design Manual and Standard Specifications and other local, state, and federal ordinances.
- Board of Health approval required prior to MSD construction plan approval.
- If the site has thru drainage, an easement plat will be required prior to MSD granting construction plan approval.



DETENTION BASIN CALCULATIONS

$$X = \Delta CRA / 12$$

$$\Delta C = 0.75 - 0.23 = 0.52$$

$$A = \text{ACRES} = 1.88$$

$$R = 2.8 \text{ INCHES}$$

$$X = (0.52)(1.88)(2.8) / 12 = 0.23 \text{ AC.-FT.}$$


$$+50\% = .23 \times 1.5 = .345$$

$$\text{REQUIRED } X = 0.345 \text{ AC.-FT} = 15,028 \text{ CF}$$

$$\text{PROVIDED BASIN} = 6,374 \text{ S.F.}$$

$$\text{TOTAL} = 6,042 \text{ S.F. @ APPROX. 2.5' AVG DEPTH}$$

$$= 15,105 \text{ CU.FT.} > 15,028 \text{ CU.FT.}$$



OWNER:
JAMES R CONTI
2026 MIDLAND AVE
LOUISVILLE, KY 40204

SITE ADDRESS:
3106 CHENOWETH RUN
TAX BLOCK 0046, LOT 0444
D.B. 10197, PG. 0264

COUNCIL DISTRICT - 11
FIRE PROTECTION DISTRICT - JEFFERSONSTOWN
MUNICIPALITY - LOUISVILLE
CASE: 21-ZONE-0135

| REVISIONS | |
|-----------|-----------------------------|
| NO. | DATE |
| 1 | 9-15-21 |
| 2 | 2-11-22 |
| BY | DESCRIPTION |
| TWB | Revised per agency comments |
| | Change entrance per KYTC |

PROJECT DATA
FILE NAME: 2109R DDDP
DATE: 9-27-21
SCALE: 1"=30'
DRAWN BY: TB
CHECKED BY: AR

LAND DESIGN & DEVELOPMENT, INC.
LAND DESIGN & DEVELOPMENT, INC.
ENGINEERING, ARCHITECTURE, INTERIOR DESIGN, LANDSCAPE ARCHITECTURE
925 WATKINS AVENUE, SUITE 107
LOUISVILLE, KENTUCKY 40222
PHONE: 502.624.9978
FAX: 502.624.9974
WEB SITE: WWW.LDD-INC.COM

DEVELOPER
ONE FOURTEEN, LLC
513 S 2ND STREET
LOUISVILLE, KY 40202

DETAILED DISTRICT DEVELOPMENT PLAN
3106 CHENOWETH RUN STORAGE

JOB NO. 21099
SHEET 1 OF 1

ENGINEER'S SEAL
SURVEYOR'S SEAL