

GENERAL NOTES



1. CONTRACTOR SHALL VERIFY EXISTING SITE CONDITIONS AND SHALL VERIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES BETWEEN EXISTING CONDITIONS AND CONFIGURATIONS SHOWN IN THE CONSTRUCTION DRAWINGS.
2. EXISTING MECHANICAL, PLUMBING, AND ELECTRICAL SYSTEMS MUST CONTINUE TO OPERATE AS REQUIRED TO SATISFY OWNER THROUGHOUT THE CONSTRUCTION PERIOD.
3. CONTRACTOR SHALL INSTALL FENCING TO SECURE SITE AT APPROPRIATE LOCATION OF PROJECT LIMITS. PROVIDE ANGLED GATES AS REQUIRED TO PROVIDE EASY ACCESS TO SITE FOR ALL CONSTRUCTION WORK TO OCCUR.
4. CONTRACTOR SHALL PROVIDE TREE PROTECTION WHERE TREES TO REMAIN ARE AFFECTED BY CONSTRUCTION WORK.
5. CONTRACTOR SHALL EMPLOY DUST REDUCTION MEASURES WHEN PERFORMING EXCAVATION, GRADING, OR DEMOLITION WORK ON SITE.
6. SILT AND EROSION CONTROL MEASURES SHALL BE INSTALLED TO MAINTAIN ALL SOILS ON SITE. CONTRACTOR TO FOLLOW EPA'S 1985 STORM WATER MANAGEMENT FOR CONSTRUCTION ACTIVITIES MANUAL.
7. REPAIR/REPLACE ANY EXISTING DRAINING OR SEWER AREA WHICH IS DISTURBED BY CONSTRUCTION ACTIVITIES BACK TO ITS PREVIOUS CONDITION.
8. CIVIL ENGINEER SHALL PROVIDE CONTRACTOR ALL COORDINATES NECESSARY FOR CONSTRUCTION OF FEATURES SHOWN INCLUDING NEW CURBS, SIDEWALKS, STORM SEWERS AND OTHER FEATURES PRIOR TO COMMENCEMENT OF WORK.
9. ALL PAVEMENT/CURB DIMENSIONS ARE TO PAVED FACE OF CURB.
10. REFER TO CIVIL DRAWINGS FOR CURB RADII.

SITE NOTES

- ① NEW CONCRETE DRAINAGE ASSEMBLY WITH TRAP DOWN EDGE. PROVIDE 5'-0" x 5'-0" HAND TOoled CONTROL JOINT PATTERN IN THE CONTOUR AND ORIENTATION INDICATED, WITH BROOKED FINISH (REFER TO CIVIL DRAWINGS).
- ② EXISTING CONSTRUCTION TO REMAIN.
- ③ NEW CONCRETE CURB ASSEMBLY (REFER TO CIVIL DRAWINGS).
- ④ EXISTING TRENCH DRAIN TO REMAIN.
- ⑤ LINE OF NEW ADDITION ABOVE (REFER TO STRUCTURAL DRAWINGS).
- ⑥ EXISTING CONCRETE CURB ASSEMBLY TO REMAIN (REFER TO CIVIL DRAWINGS).
- ⑦ NEW CONCRETE PAV. (REFER TO CIVIL DRAWINGS).
- ⑧ HESS AMERICA (GAFNEY, SD) PARS 1100 BARRIER BOLLARD OR ARCHITECT APPROVED EQUAL. BARRIER BOLLARD SHALL BE CHECKED 18.7' INTO A CONCRETE FOUNDATION.
- ⑨ PAINTED STRIPING (REFER TO CIVIL DRAWINGS).
- ⑩ HANDICAP ACCESSIBLE CURB RAMP SYSTEM WITH 1:12 MAXIMUM SLOPE AND 6" RISE (REFER TO CIVIL DRAWINGS).



619 WEST MAIN STREET
 LOUISVILLE, KENTUCKY 40202
 502.498.1875
 502.498.1876 fax




PARTIAL SITE PLAN
 SURGERY ADDITION
 MARY AND ELIZABETH HOSPITAL/UL HEALTH
 LOUISVILLE, KENTUCKY


06 SEPTEMBER 2022
 SHALME12103

A1.1

DESIGN DEVELOPMENT - NOT FOR CONSTRUCTION



02 EAST EXTERIOR ELEVATION
A7.0 3/02 = 1/4"



01 NORTH EXTERIOR ELEVATION
A7.0 3/02 = 1/4"

GENERAL NOTES

1. REFER TO CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY EXISTING SITE CONDITIONS AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES BETWEEN EXISTING CONDITIONS AND CONDITIONS SHOWN IN THE CONSTRUCTION DRAWINGS.
3. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ONLY, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL, TO BE ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
4. ALL CONDITIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
5. NO ELEMENT OF CONSTRUCTION SHALL BE ADDED TO THE EXTERIOR OF THE BUILDING WITHOUT APPROVAL OF THE ARCHITECT. ALL EXTERIOR ELEMENTS NOT SHOWN ON THE ELEVATIONS SHALL BE COORDINATED WITH THE ARCHITECT, AND FINAL LOCATIONS APPROVED BY THE ARCHITECT.
6. SHAVED GLAZING AREAS DENOTE SPANDREL GLAZING. REFER TO FRAME ELEVATIONS AND SPECIFICATION SECTION 08000 FOR ADDITIONAL INFORMATION.

ELEVATION NOTES



- (1) FINISH GRADE ELEVATION VALUES (REFER TO CIVIL DRAWINGS).
- (2) CONCRETE DRIVE/ACCESSWAY ASSEMBLY (REFER TO CIVIL DRAWINGS).
- (3) EXISTING EXTERIOR WALL CONSTRUCTION TO REMAIN.
- (4) ALUMINUM STOREFRONT SYSTEM (08411).
- (5) SPANDREL GLAZING (08000).
- (6) AUTOMATIC GLAZING DOOR SYSTEM (08711).
- (7) PREFINISHED ALUMINUM COPING SYSTEM (07920).
- (8) O.F.A. ILLUMINATED SIGNAGE (REFER TO ELECTRICAL DRAWINGS).
- (9) ALUMINUM COMPOSITE METAL PANEL SYSTEM (074213.03).
- (10) OVERFLOW ROOF DRAIN LEADER OUTLET NOZZLE (REFER TO PLUMBING DRAWINGS).
- (11) DR-SECTION METAL PANEL SYSTEM OVER ALUMINUM FURRING CHANNELS AS REQUIRED (074213.16).
- (12) ROOFTOP UNIT SCREEN WALL SYSTEM (REFER TO MECHANICAL DRAWINGS).
- (13) CONCRETE PIPE BOLLARD (PAINT YELLOW).
- (14) NEW BRICK VENEER OVER EXISTING WALL CONSTRUCTION (REFER TO STRUCTURAL DRAWINGS).



**STENGENL-HILL
 ARCHITECTURE**

613 WEST MAIN STREET
 LOUISVILLE, KENTUCKY 40202

502.899.1875
 502.899.1876 fax



04 SEPTEMBER 2022
 SH.AMB.21103



DESIGN DEVELOPMENT - NOT FOR CONSTRUCTION