

1
A-1.2

SECOND FLOOR PLAN

SCALE: 1/16" = 1'-0"

RECEIVED
MAY 17 2019
PLANNING &
DESIGN SERVICES

19COA1153

JOB NUMBER:

19026




BREWERY
1020 EAST WASHINGTON STREET
LOUISVILLE, KENTUCKY 40206

PROJECT TITLE:

DATE: 05-17-2019
BY: A. STOGSDILL
CHK: TEK
REVISIONS:

SECOND FLOOR PLAN

A-1.2



1
A-1.2

THIRD FLOOR PLAN

SCALE: 1/16" = 1'-0"

RECEIVED
MAY 17 2019
PLANNING &
DESIGN SERVICES

19C0A1153

BREWERY
1020 EAST WASHINGTON STREET
LOUISVILLE, KENTUCKY 40206

PROJECT TITLE:


DATE 05-17-2019
BY: A. STOGSDILL
CHK: TEK
REVISIONS:

THIRD FLOOR PLAN


A-1.2

RECEIVED
MAY 17 2019
PLANNING &
DESIGN SERVICES


19C0A1153



1
A-2.1 NORTH ELEVATION
SCALE: 1/16" = 1'-0"




1 EAST ELEVATION
A-2.1 SCALE: 1/16" = 1'-0"



2 WEST ELEVATION
A-2.1 SCALE: 1/16" = 1'-0"

RECEIVED
MAY 17 2019
PLANNING &
DESIGN SERVICES

1900A1153



UTILITY WARNING

THE UNDERGROUND UTILITIES SHOWN ON THIS DOCUMENT HAVE NOT BEEN PRECISELY LOCATED BY EXCAVATION METHODS. SUB-SURFACE UTILITIES HAVE BEEN MAPPED FROM APPARENT SURFACE FEATURES AND INFORMATION FROM EXISTING PUBLIC RECORD DRAWINGS. FEATURES NOT IDENTIFIABLE UPON THE GROUND OR WITHIN CLOSE PROXIMITY OF THE PUBLIC UTILITY OF RECORD ARE NOT TO BE CONSIDERED ACCURATE FOR CONSTRUCTION PURPOSES. EVEN THOUGH THEIR POSITIONS MAY BE SCALED CLOSELY UPON THE MAP, THE SURVEYOR MAKES NO GUARANTEE THAT THE UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN SERVICE OR ABANDONED. (KENTUCKY 811-TOLL FREE PHONE NO. 1-800-752-6007 OR LOCAL 502-266-5123)

ADDITIONAL REQUESTS

1. WAIVER FROM LDC 5.5.1.A.3.a TO ALLOW PARKING IN FRONT OF THE BUILDING.
2. WAIVER FROM LDC 5.5.1.A.4 TO ALLOW FRONT LOADING DOCK.

NOTE: VARIANCES ARE NOT NEEDED WHERE EXISTING BUILDINGS DO NOT COMPLY WITH SETBACK STANDARDS PER LDC 5.1.2.

LEGEND

- 456 — EX. MAJOR CONTOUR
- X — X — EX. MINOR CONTOUR
- X — X — EX. FENCE
- S — S — EX. SANITARY SEWER
- S — S — EX. STORM SEWER
- S — S — EX. TREE LINE
- S — S — EX. ZONING
- S — S — EX. FORM DISTRICT
- => PROPOSED FLOW

SCALE 1"=16'

0' 4' 8' 16' 32'

Kentucky 811

The New Look for Digging Safely in Kentucky

Call 811 Before You Dig

TREE CANOPY CALCULATIONS

SINCE THE INCREASE IN BUILDING AREA WILL BE LESS THAN 20% AND THERE IS NO INCREASE IN IMPERVIOUS SURFACE, THIS SITE DOES NOT MEET THE THRESHOLD FOR COMPLIANCE WITH LDC CHAPTER 10.1 PER LDC 10.1.2.

ILA / VUA CALCULATIONS

SINCE THE INCREASE IN BUILDING AREA WILL BE LESS THAN 20% AND THERE IS NO INCREASE IN IMPERVIOUS SURFACE, THIS SITE DOES NOT MEET THE THRESHOLD FOR COMPLIANCE WITH LDC CHAPTER 10.2 PER LDC 10.2.2.

GENERAL NOTES

1. ALL HANDICAP SITE FEATURES SHALL BE CONSTRUCTED IN ACCORDANCE WITH ACCEPTABLE "A.D.A." REQUIREMENTS FOR HANDICAP ACCESSIBILITY.
2. SILT CONTROLS SHALL BE INSTALLED PRIOR TO CONSTRUCTION AND REMOVED UPON COMPLETION OF THE JOB ONCE GRASS IS ESTABLISHED.
3. THIS PROPERTY IS NOT LOCATED IN A 100 YEAR FLOOD HAZARD AREA. (FEMA MAP 2111C0026E, DECEMBER 5, 2006)
4. ALL CONSTRUCTION AND SALES TRAILERS MUST BE PERMITTED BY THE DEPARTMENT OF PUBLIC HEALTH & WELNESS IN ACCORDANCE WITH CHAPTER 115 OF LOUISVILLE JEFFERSON COUNTY METRO ORDINANCES.
5. CONSTRUCTION PLANS, BOND & PERMIT ARE REQUIRED BY METRO PUBLIC WORKS PRIOR TO CONSTRUCTION APPROVAL.
6. SANITARY SEWERS ARE AVAILABLE BY CONNECTION.
7. SITE IS < THAN 1 ACRE SO GREEN INFRASTRUCTURE REQUIREMENTS DO NOT APPLY.
8. ANY IMPROVEMENTS TO THE ALLEY WILL BE COORDINATED WITH HISTORIC PRESERVATION, METRO PUBLIC WORKS AND MSD. IMPROVEMENTS ON PORTIONS OF THE ALLEY OUTSIDE OF THE PUBLIC RIGHT-OF-WAY (IF ANY) ARE CONTINGENT UPON APPROVAL FROM THE PROPERTY OWNER.
9. CONSTRUCTION PLANS AND DOCUMENTS SHALL COMPLY WITH LOUISVILLE AND JEFFERSON COUNTY METROPOLITAN SEWER DISTRICT'S DESIGN MANUAL AND STANDARDS SPECIFICATIONS AND OTHER LOCAL, STATE AND FEDERAL ORDINANCES.
10. ALL RETAIL SHOPS MUST HAVE INDIVIDUAL CONNECTIONS PER MSD'S FATS, OIL AND GREASE POLICY.
11. EXISTING SIDEWALK RECONSTRUCTION AND REPAIRS SHALL BE REQUIRED, AS NECESSARY, TO MEET CURRENT METRO PUBLIC WORKS STANDARDS AND SHALL BE INSPECTED PRIOR TO FINAL BOND RELEASE.
12. UPON DEVELOPMENT OR REDEVELOPMENT OF ADJACENT PROPERTIES, A UNIFIED ACCESS AND CIRCULATION SYSTEM SHALL BE DEVELOPED TO ELIMINATE PREDISTING CURB CUTS AND PROVIDE FOR VEHICULAR MOVEMENT THROUGHOUT ADJACENT SITES AS DETERMINED APPROPRIATE BY THE DEPARTMENT OF PUBLIC WORKS. A CROSS ACCESS AGREEMENT TO RUN WITH THE LAND AND IN A FORM ACCEPTABLE TO PLANNING COMMISSION LEGAL COUNSEL SHALL BE RECORDED PRIOR TO THE TIME OF CONSTRUCTION APPROVAL FOR THE ADJACENT PROPERTY TO BE DEVELOPED.
13. ALL ROADWAY AND ENTRANCE INTERSECTIONS SHALL MEET THE REQUIREMENTS FOR LANDING AREAS AS SET BY METRO PUBLIC WORKS.
14. MITIGATION MEASURES FOR DUST CONTROL SHALL BE IN PLACE DURING CONSTRUCTION TO PREVENT FUGITIVE PARTICULATE EMISSIONS FROM REACHING EXISTING ROADS AND NEIGHBORING PROPERTIES.
13. COMPATIBLE UTILITY LINES (ELECTRIC, PHONE, CABLE) SHALL BE PLACED IN A COMMON TRENCH UNLESS OTHERWISE REQUIRED BY APPROPRIATE AGENCIES.

EPSC NOTES

THE APPROVED EROSION PREVENTION AND SEDIMENT CONTROL (EPSC) PLAN SHALL BE IMPLEMENTED PRIOR TO ANY LAND-DISTURBING ACTIVITY ON THE CONSTRUCTION SITE. ANY MODIFICATIONS TO THE APPROVED EPSC PLAN MUST BE REVIEWED AND APPROVED BY M.S.D.'S PRIVATE DEVELOPMENT REVIEW OFFICE. EPSC BMPs SHALL BE INSTALLED PER THE PLAN AND M.S.D. STANDARDS.

DETENTION BASINS, IF APPLICABLE, SHALL BE CONSTRUCTED FIRST AND SHALL PERFORM AS SEDIMENT BASINS DURING CONSTRUCTION UNTIL THE CONTRIBUTING DRAINAGE AREAS ARE SEEDING AND STABILIZED.

ACTIONS MUST BE TAKEN TO MINIMIZE THE TRACKING OF MUD AND SOIL FROM CONSTRUCTION AREAS ONTO PUBLIC ROADWAYS. SOILS TRACKED ONTO THE ROADWAY SHALL BE REMOVED DAILY.

SOIL STOCKPILES SHALL BE LOCATED AWAY FROM STREAMS, PONDS, SWALES, AND CATCH BASINS. STOCKPILES SHALL BE SEEDING, MULCHED, AND ADEQUATELY CONTAINED THROUGH THE USE OF SILT FENCING.


ALL STREAM CROSSINGS MUST UTILIZE LOW-WATER CROSSING STRUCTURES PER M.S.D. STANDARD DRAWING ER-02.

WHERE CONSTRUCTION OR LAND DISTURBANCE ACTIVITY WILL OR HAS TEMPORARILY CEASED ON ANY PORTION OF A SITE, TEMPORARY SITE STABILIZATION MEASURES SHALL BE REQUIRED AS SOON AS PRACTICABLE, BUT NOT LATER THAN 14 CALENDAR DAYS AFTER THE ACTIVITY HAS CEASED.

SEDIMENT-LOADED GROUNDWATER ENCOUNTERED DURING TRENCHING, BORING, OR OTHER EXCAVATION ACTIVITIES SHALL BE PUMPED TO A SEDIMENT TRAPPING DEVICE PRIOR TO BEING DISCHARGED INTO A STREAM, POND, SWALE, OR CATCH BASIN.

EPSC NOTES

- INSTALL SILT FENCE AND INLET PROTECTION.
- BEGIN DEMOLITION.
- REMOVE SILT FENCE AND INLET PROTECTION ONCE VEGETATION IS ESTABLISHED.



LOCATION MAP
NOT TO SCALE

SITE DATA

TOTAL SITE AREA:	0.81 ACS (35,958 SF)
EXISTING ZONING:	CM
EXISTING FORM DISTRICT:	TMC
EXISTING USE:	COLD STORAGE
PROPOSED USE:	MICRO-BREWERY & RESTAURANT
EXISTING FOOTPRINT:	16,788 SF
PROPOSED FOOTPRINT:	17,167 SF
EXISTING GROSS FLOOR AREA:	22,220 SF
PROPOSED GROSS FLOOR AREA:	23,311 SF
FAR:	0.65
MAXIMUM BUILDING HEIGHT:	50'

PARKING CALCULATIONS

RESTAURANT/OUTDOOR SEATING:	16,938 SF
RETAIL:	580 SF
WAREHOUSE:	8 EMPLOYEES

NOTE: THE TASTING ROOM AND SEATING AREAS FOR THE MICRO-BREWERY ARE CALCULATED AS RESTAURANT. THE PRODUCTION AND STORAGE SPACES ARE CALCULATED AS WAREHOUSE. ALL OUTDOOR SEATING IS ALSO CALCULATED AS RESTAURANT.

MINIMUM PARKING REQUIRED: 1/300 SF	74 SPACES
RESTAURANT @ 1/250 = 68 SPACES	-400
RETAIL @ 1/500 = 1 SPACE	44 SPACES
WAREHOUSE @ 1/1.5 EMPLOYEES = 5 SPACES	

MAXIMUM PARKING ALLOWED: 1/100 SF	351 SPACES
RESTAURANT @ 1/50 = 339 SPACES	
RETAIL @ 1/150 = 4 SPACES	
WAREHOUSE @ 1/EMPLOYEE = 8 SPACES	

PROPOSED PARKING	44 SPACES
ON-SITE: 11 SPACES	
ON-STREET: 6 SPACES	
OFF-SITE: 27 SPACES	


*THIS SITE QUALIFIES FOR THE FOLLOWING REDUCTIONS PER LDC 9.1.3.F AS FOLLOWS:
20% REDUCTION - REHAB. BUILDING ELIGIBLE FOR NATIONAL REGISTER
20% REDUCTION - GREEN SITE DESIGN STANDARDS
1. PREVIOUSLY DEVELOPED SITE.
9. TREES SHADE 20% OF SIDEWALK ALONG WASHINGTON ST.

BICYCLE PARKING CALCULATIONS

SHORT TERM PARKING REQUIRED:	4 SPACES
LONG TERM PARKING REQUIRED:	2 SPACES
BICYCLE PARKING PROVIDED:	4 SHORT TERM SPACES
	2 LONG TERM SPACES (INSIDE THE BUILDING)

IMPERVIOUS AREA CALCULATIONS

SITE AREA	35,958 SF
EXISTING IMPERVIOUS AREA:	35,958 SF
PROPOSED IMPERVIOUS AREA:	32,554 SF
DIFFERENCE:	-2,804 SF
APPROXIMATE AREA OF DISTURBANCE:	0.34 ACRES



SA BAK, WILSON & LINGO, INC.

ENGINEERS, LANDSCAPE ARCHITECTS & PLANNERS

LOUISVILLE, KENTUCKY 40202

608 S. THIRD STREET, THE HENRY CLAY

RECEIVED

MAY 17 2019

PLANNING & DESIGN SERVICE

CATEGORY 2B DEVELOPMENT PLAN

PROJECT TITLE: 1016 E. WASHINGTON STREET, LOUISVILLE, KY 40206, TAX BLOCK 196, LOT 64, SUBLOT 65

OWNER/DEVELOPER: BUTCHER BLOCKBUSTER, LLC, 1201 STORY AVE., STE. 100, LOUISVILLE, KY 40206, D.B. 11377, PG. 784

WM # 7746

DATE: 03/01/19

DRAWING NO: CAT-2B

SHEET 1 OF 1

19COA1153

1016 E. WASHINGTON STREET - CONCEPTUAL PLANT PALETTE

SABAK, WILSON
& LINGO, Inc.



REDBUD



LILY MAGNOLIA



INKBERRY



HOSTAS



CORAL BELLS



SALVIA



BLACK EYED SUSAN



IRIS

PERENNIALS



KNOCKOUT ROSE



HYDRANGEA

IRIS



ARBORVITAE



GLOBE ARBORVITAE



CREeping JUNIPER


TREES & SHRUBS



FLOWERING DOGWOOD



SERVICEBERRY



PRAIRIE DROPSEED



MUHLY GRASS



HEAVY METAL GRASS



FEATHER REED GRASS

ORNAMENTAL GRASSES

19100A1153