



GENERAL NOTES

- 1. CONSTRUCTION PLANS AND DOCUMENTS SHALL COMPLY WITH LOUISVILLE AND JEFFERSON COUNTY METROPOLITAN SEWER DISTRICT'S DESIGN MANUAL AND STANDARD SPECIFICATIONS AND OTHER LOCAL, STATE AND FEDERAL ORDINANCES.
2. WASTEWATER: SANITARY SEWER IS AVAILABLE BY LATERAL EXTENSION AGREEMENT SUBJECT TO FEES. SANITARY SEWER PATTERN DEPICTED FOR CONCEPTUAL PURPOSES ONLY. FINAL CONFIGURATION AND SIZE OF SEWER PIPES SHALL BE DETERMINED DURING THE CONSTRUCTION PLAN DESIGN PROCESS.
3. STORMWATER: FINAL CONFIGURATION AND SIZE OF DRAINAGE PIPES, CHANNELS, AND PERMANENT WATER QUALITY FEATURES TO BE DETERMINED DURING THE CONSTRUCTION PLAN DESIGN PROCESS. DRAINAGE FACILITIES SHALL CONFORM TO MSD REQUIREMENTS.
4. DRAINAGE / STORMWATER DETENTION: DETENTION WILL BE PROVIDED AS SHOWN ON THIS PLAN. THE OUTLET FOR THE DETENTION LAKE SHALL CONNECT TO AN APPROPRIATELY SIZED STORM SEWER WITHIN A PUBLIC MSD SEWER AND DRAINAGE EASEMENT THAT DISCHARGES TO THE OHIO RIVER FLOODPLAIN.
5. AESTHETICS AND WATER QUALITY OF POND ON OPEN SPACE LOT #75 SHALL BE IMPROVED TO MSD'S SATISFACTION PRIOR TO APPROVAL OF LOTS 14 & 15.
6. MINIMUM OPENING ELEVATION APPLICABLE ON ALL LOTS AS IDENTIFIED WITH AN ASTERISK (*).
7. A PORTION OF THE SUBJECT PROPERTY LIES WITHIN A FLOOD HAZARD AREA PER FEMA FIRM MAPS, (21111C0002E & 21111C0003E).
8. THE DEVELOPMENT SHALL BE IN ACCORDANCE WITH THE APPROVED PRELIMINARY PLAN. NO FURTHER SUBDIVISION OF LAND INTO A GREATER NUMBER OF LOTS THAN ORIGINALLY APPROVED SHALL OCCUR, WITHOUT THE APPROVAL OF PLANNING COMMISSION.
9. COMPATIBLE UTILITY LINES (ELECTRIC, PHONE, CABLE) SHALL BE PLACED IN A COMMON TRENCH UNLESS OTHERWISE REQUIRED BY APPROPRIATE AGENCIES.
10. STREET TREES SHALL BE PLANTED IN A MANNER THAT DOES NOT AFFECT PUBLIC SAFETY AND MAINTAINS PROPER SIGHT DISTANCE. FINAL LOCATION WILL BE DETERMINED DURING THE CONSTRUCTION APPROVAL PROCESS.
11. ALL STREETS AND RIGHTS OF WAY SHALL MEET THE REQUIREMENTS OF CHAPTER 6 OF THE LAND DEVELOPMENT CODE.
12. MITIGATION MEASURES FOR DUST CONTROL SHALL BE IN PLACE DURING CONSTRUCTION TO PREVENT FUGITIVE PARTICULATE EMISSIONS FROM REACHING EXISTING ROADS AND NEIGHBORING PROPERTIES.
13. THE FINAL DESIGN OF THIS PROJECT MUST MEET ALL M54 WATER QUALITY REGULATIONS ESTABLISHED BY MSD.
14. CURBS AND GUTTER SHALL BE PROVIDED ALONG ALL STREETS IN THE DEVELOPMENT.
15. RIGHT OF WAY DEDICATION SHALL BE RECORDED AS PART OF THE REQUIRED RECORD PLAT.
16. ALL STREET NAME SIGNS AND PAVEMENT MARKING SHALL CONFORM WITH THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) REQUIREMENTS AND BE INSTALLED PRIOR TO CONSTRUCTION OF THE FIRST RESIDENCE OR BUILDING ON THE STREET AND SHALL BE IN PLACE AT THE TIME OF THE BOND RELEASE PRIOR TO RECEIVING A CERTIFICATE OF OCCUPANCY.
17. ALL RADIIUSES, SIDEWALK LOCATIONS AND OFFSETS SHALL BE IN ACCORDANCE WITH METRO PUBLIC WORKS STANDARDS AND APPROVED AT THE TIME OF CONSTRUCTION.
18. THE APPLICANT SHALL INSTALL SIGNS, APPROVED BY THE METRO PUBLIC WORKS DEPARTMENT WHICH INDICATE THE FUTURE EXTENSION OF THE PUBLIC RIGHT OF WAY FOR STREET SUTHERLAND FARM ROAD. SUCH SIGNS SHALL BE INSTALLED PRIOR TO RELEASE OF BONDS FOR THE INSTALLATION OF THE STREET INFRASTRUCTURE.
19. ALL ROADWAY AND ENTRANCE INTERSECTIONS SHALL MEET THE REQUIREMENTS FOR LANDING AREAS AS SET BY METRO PUBLIC WORKS.
20. TREE CANOPY CREDIT AREAS (TCCA'S) IDENTIFIED ON THIS PLAN REPRESENT PORTIONS OF THE SITE THE DEVELOPER HAS AGREED TO PRESERVE. THESE ARE PERMANENT PRESERVATION AREAS. ALL CLEARING, GRADING, AND FILL ACTIVITY IN THESE AREAS MUST BE IN KEEPING WITH THE RESTRICTIONS ESTABLISHED AT THE TIME OF PLAN APPROVAL. NO FURTHER CLEARING, GRADING, CONSTRUCTION, OR OTHER LAND DISTURBING ACTIVITY SHALL TAKE PLACE BEYOND PRUNING TO IMPROVE THE GENERAL HEALTH OF THE TREE OR TO REMOVE DEAD OR DECLINING TREES THAT MAY POSE A PUBLIC HEALTH AND SAFETY THREAT.
21. SUTHERLAND FARM ROAD CROSSING OF THE JURISDICTIONAL WETLAND WILL BE ACCOMPLISHED BY CLEAR SPAN CONSTRUCTION SO AS NOT TO AFFECT OR INTERFERE WITH THE JURISDICTIONAL WETLAND.
22. FINAL SUBDIVISION RECORD PLAT FURTHER AMENDS PB37, PG 80, A MINOR SUBDIVISION PLAT FOR SUTHERLAND FARMS.
23. HYDRIC SOILS ARE PRESENT AT ISOLATED LOCATIONS ON THE SITE. ALL MSD AND ARMY CORPS PERMITS WILL BE OBTAINED, PER LRL-2019-76-960.
24. ANY UTILITY OR ACCESS DRIVE CONSTRUCTION ON SLOPES GREATER THAN 30% SHALL UTILIZE CONSTRUCTION METHODS APPLICABLE FOR STEEP SLOPES, TO MINIMIZE SOIL EROSION.
25. THE WETLAND AREA ADJACENT TO SUTHERLAND FARM ROAD ON LOTS 2-10 SHALL BE DESIGNATED AS PRIVATE DRAINAGE WITH MAINTENANCE RESPONSIBILITIES PROVIDED BY THE BREAKERS AT PROSPECT HOMEOWNERS' ASSOCIATION AND OUTLINED AS SUCH IN THE DEED RESTRICTIONS FOR THE DEVELOPMENT.

- SWPPP NOTES
1) THE APPROVED EROSION PREVENTION AND SEDIMENT CONTROL (EPPC) PLAN SHALL BE IMPLEMENTED PRIOR TO ANY LAND-DISTURBING ACTIVITY ON THE CONSTRUCTION SITE. ANY MODIFICATIONS TO THE APPROVED EPPC PLAN MUST BE REVIEWED AND APPROVED BY M.S.D.'S PRIVATE DEVELOPMENT REVIEW OFFICE. EPPC BMPs SHALL BE INSTALLED PER THE PLAN AND M.S.D. STANDARDS.
2) DETENTION BASINS, IF APPLICABLE, SHALL BE CONSTRUCTED FIRST AND SHALL PERFORM AS SEDIMENT BASINS DURING CONSTRUCTION UNTIL THE CONTRIBUTING DRAINAGE AREAS ARE SEEDED AND STABILIZED.
3) ACTIONS MUST BE TAKEN TO MINIMIZE THE TRACKING OF MUD AND SOIL FROM CONSTRUCTION AREAS ONTO PUBLIC ROADWAYS. SOILS TRACKED ONTO THE ROADWAY SHALL BE REMOVED DAILY.
4) SOIL STOCKPILES SHALL BE LOCATED AWAY FROM STREAMS, PONDS, SWALES, AND CATCH BASINS. STOCKPILES SHALL BE SEED, MULCHED, AND ADEQUATELY CONTAINED THROUGH THE USE OF SILT FENCING.
5) ALL STREAM CROSSINGS MUST UTILIZE LOW-WATER CROSSING STRUCTURES PER M.S.D. STANDARD DRAWING ER-02.
6) WHERE CONSTRUCTION OR LAND DISTURBANCE ACTIVITY WILL OR HAS TEMPORARILY CEASED ON ANY PORTION OF THE SITE, TEMPORARY SITE STABILIZATION MEASURES SHALL BE REQUIRED AS SOON AS PRACTICABLE, BUT NOT LATER THAN 14 CALENDAR DAYS AFTER THE ACTIVITY HAS CEASED.
7) SEDIMENT-LADEN GROUNDWATER ENCOUNTERED DURING TRENCHING, BORING, OR OTHER EXCAVATION ACTIVITIES SHALL BE PUMPED TO A SEDIMENT TRAPPING DEVICE PRIOR TO BEING DISCHARGED INTO A STREAM, POND, SWALE, OR CATCH BASIN.

- EROSION PREVENTION PLAN
ALL STORM WATER RUNOFF FROM DISTURBED AREAS WILL BE DIRECTED TO DITCH CHECKS OR SILT FENCE PERIMETER CONTROLS UNTIL STORM SEWERS ARE INSTALLED. AFTER STORM SEWER INSTALLATION, ALL STORM INLETS SHALL BE PROTECTED WITH STONE BAGS, SILT SACKS OR OTHER MSD APPROVED INLET CONTROLS. SILT FENCE SHALL BE UTILIZED AS PERIMETER CONTROLS AROUND SENSITIVE AREAS DURING CONSTRUCTION. SMALL WATERSHED AREAS MAY BE PROTECTED WITH SILT FENCE AND/OR DITCH CHECKS BASED ON FINAL GRADING.

- UTILITY NOTE
ALL UTILITIES SHOWN ON THESE PLANS ARE APPROXIMATE. INDIVIDUAL SERVICE LINES ARE NOT SHOWN. THE CONTRACTOR OR SUBCONTRACTOR SHALL NOTIFY THE UTILITY PROTECTION CENTER "B.U.D." (TOLL FREE PHONE NO. 1-800-752-6007) FORTY-EIGHT HOURS IN ADVANCE OF ANY CONSTRUCTION ON THIS PROJECT. THIS NUMBER WAS ESTABLISHED TO PROVIDE ACCURATE LOCATIONS OF EXISTING UTILITIES (E.G. CABLES, ELECTRIC WIRES, GAS, AND WATERLINES). WHEN CONTACTING THE "B.U.D." CALL CENTER, PLEASE STATE THAT THE WORK TO BE DONE IS FOR A PROPOSED M.S.D. SEWER OR DRAINAGE FACILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR BECOMING FAMILIAR WITH ALL UTILITY REQUIREMENTS SET FORTH ON THE PLANS, IN THE TECHNICAL SPECIFICATIONS, AND SPECIAL PROVISIONS.



LOCATION MAP NO SCALE

SITE DATA table with columns: FORM DISTRICT, ZONING, EXISTING USE, PROPOSED USE, GROSS SITE AREA, AREA IN R.O.W., NET SITE AREA, BUILDABLE LOTS, OPEN SPACE LOTS, GROSS DENSITY, NET DENSITY, OPEN SPACE AREA.


TREE CANOPY CALCULATIONS table with columns: GROSS SITE AREA, EXISTING TREE CANOPY, TREE CANOPY TO BE PRESERVED, TOTAL TREE CANOPY REQUIRED, ADDITIONAL TREE CANOPY REQUIRED.

*ALL LOTS ARE DEVELOPED TO R4 STANDARDS.

- BENCH MARKS (1988 NAVD)
B.M. #1 ELEVATION 461.94' (NAVD 1988). BM #1 IS A 3/8" REBAR WITH A RED CAP STAMPED "SWL CONTROL" LOCATED AT THE NORTHWEST END OF THE PROPERTY AND APPROXIMATELY 27' NORTHEAST OF AN ASPHALT HORSESHOE DRIVEWAY.
B.M. #2 ELEVATION 461.68' (NAVD 1988). BM #2 IS A 3/8" REBAR WITH A RED CAP STAMPED "SWL CONTROL" LOCATED AT THE SOUTHEAST END OF THE PROPERTY AND APPROXIMATELY 82' NORTH OF A UTILITY POLE.

- LEGEND
- JURISDICTIONAL WETLAND
- EXISTING STORM SEWER
- EXISTING STREET DIRECTIONAL FLOW ARROWS
- SCHEMATIC STORM SEWER
- SEWER DIRECTIONAL FLOW ARROWS
- EXISTING SANITARY SEWER
- SCHEMATIC SANITARY SEWER
- SANITARY DIRECTIONAL FLOW ARROWS
- HEADWALL
- DRAINAGE SWALE
- SLOPES 20-30%
- SLOPES > 30%
- EXISTING TREE CANOPY
- PROPOSED TCCA AREA
- AREA OF REVISION
- SITE DATE REVISION

EXISTING TREE CANOPY ZONES
TREE CANOPY ZONES SHOWN ON THIS PLAN REPRESENT AREAS OF THE SITE WHERE EFFORTS WILL BE MADE TO PRESERVE AS MANY TREES AS POSSIBLE. DUE TO UNKNOWN MSD REQUIREMENTS, THESE AREAS ARE NOT BEING COUNTED AS TCCA AT THIS TIME, BUT MAY BE COUNTED AS TCCA AT THE TIME OF TREE PRESERVATION PLAN APPROVAL.



RECEIVED stamp dated MAY 19 2020. PLANNING & DESIGN SERVICES. CASE # 19SUBDIV1001, WM # 11927, TAX BLOCK 2617. OWNER / DEVELOPER: THE BREAKERS AT PROSPECT LLC, 5964 TIMBER RIDGE DRIVE, SUITE 101, PROSPECT, KY 40059, D.B. 11485, PG. 343. SHEET TITLE: REVISED MAJOR PRELIMINARY SUBDIVISION PLAN. PROJECT TITLE: THE BREAKERS AT PROSPECT, LLC, 7800 SUTHERLAND FARM RD, PROSPECT, KY 40059. JOB NO. 3146, SCALE: 1"=100', DATE: 04/23/2020, DRAWING NO: P S P, SHEET 1 OF 1.

SA BAK, WILSON & LINGO, INC ARCHITECTS & PLANNERS. ENGINEERS, LANDSCAPE ARCHITECTS & PLANNERS. LOUISVILLE, KENTUCKY 40202. THE HENRY CLAY. 808 S. THIRD STREET, LOUISVILLE, KY 40202. (502) 584 - 9271. SHEET 1 OF 1.