Primary Sponsor: Councilman Bill Hollander

CIF060122FF09

Louisville Metro Council City Agency Request

Neighborhood Development Fund (NDF)

Capital Infrastructure Fund (CIF)
 Municipal Aid Program (MAP)
 Paving Fund (PAV)

Amount: \$14,780	Date: May 5, 202	22	
Description of program/project including public purpose, additional funding sources, location of project/program and any external grantee(s):			
Grant to Metro Fleet and Facilities for the purchase and installation of a new Elkay frost proof water fountain at the Keats and Frankfort Avenue public parking lot. This will be replacing an older water fountain. Work performed by Lusk.			
City Agency: Metro Fleet and Facilities			
Contact Person: Mark Zoeller			
Agency Phone: (502) 574-0104			
I have reviewed this request for an expended determined the funds will be used for a pudocumentation from the receiving departs	ublic purpose and have t	the attached	
9 Pin Alexander Signature Council Member Signature	Amount	Date	
Approved by: Appropriations Committee Chai Clerk's Office & OMB Use Only:		Date	
Request Amount:			
Reference #: <u>CIF060122FF09</u>			
Budget Revision #:			
Account #:			
To Project Manager:			
Actual Cost:	Funds Keturned:		

NDF, CIF, MAP OR PAV INTERAGENCY CHECKLIST

Interagency Name: Metro Fleet and Facilities Program/Project Name: Replacement water fountain at Keats and Frankfort Avenue Yes/No/NA Request Form: Is the Request Signed by all Council Member(s) Appropriating Funding? Yes Request Form: If matching funds are to be used, are they disclosed with account numbers in the request form description? NA Request Form: If matching funds are to be used, does the amount of the request exclude the matching fund amount? NA Request Form: If other funds are to be used for this project, are they disclosed with account numbers in the request form description? NA Funding Source: If CIF is being requested, does Metro Louisville own/will own the real estate, building or equipment? If not, the Yes funding source is probably NDF. Funding Source: If CIF is being requested, does the project have a useful life of more than one year? If not, the funding source is probably NDF. Yes Ordinance Required: Is the NDF request to a Metro Agency greater than \$5,000? If so, an ordinance is required. NA Ordinance Required: Is the request a transfer from NDF to cost center? If so, is the amount given for the fiscal year \$25,000 or less? NA Supporting Documentation: Does the attachment include a valid estimate and description of cost? Yes

Submitted by:_	kyle	Ethnida	<u>k</u>	Date:	5/2/2022
		- 4			



The Lusk Group

PO Box 340 820 S Dixie, Muldraugh, KY 40155 Tel 502 942 6966 Fax 502 942 6964

April 20, 2022

Louisville Metro Government 611 W. Jefferson St. Louisville, KY 40202

Attention: Mr. Mark Zoeller

Reference: Parking Lot at Frankfort Avenue and Keats - Water Fountain

Mr. Zoeller,

We are pleased to quote the following work for the sum of: \$10,969.00 (Murdock Fountain) \$13,452.00(Elkay Fountain)

- Demo existing frost proof water fountain with bottle filler and dog bowl. Install new frost proof fountain with bottler filler and dog bowl and tie back into existing lines.
- **All work to be performed during regular business hours.
- **Any additional work will be performed on T&M or quoted separately.
- **Quote is good for 30 days.
- **90-day labor warranty on work performed.
- **If Purchase Order is required, must be assigned before work can begin.

Point of contact for further information or clarification is the undersigned that can be reached at (502) 639-3568.

Sincerely,	
Scott Lusk	
Scott Lusk	
Service Superintendent	
Signature & Title of Person Accepting Quote	Date
P.O. #	

If accepted, please email a signed copy to nwheeler@theluskgroup.com or fax to (502) 942-6964. Thank you

Ethridge, Kyle

From: Zoeller, Mark

Sent: Friday, April 22, 2022 7:01 AM

To: Ethridge, Kyle

Subject: FW: Frankfort Avenue & Keats Avenue - Water Fountain Demo & Install Quote

Follow Up Flag: Follow up Flag Status: Flagged

Kyle, responses from Scott Lusk below. Note the highlighted as he had omitted concrete cutting.

From: Scott Lusk < jslusk@theluskgroup.com> Sent: Thursday, April 21, 2022 4:07 PM

To: Zoeller, Mark < Mark. Zoeller@louisvilleky.gov>

Subject: Re: Frankfort Avenue & Keats Avenue - Water Fountain Demo & Install Quote

CAUTION: This email came from outside of Louisville Metro. Do not click links or open attachments unless you recognize the sender and know the content is safe

Frost proof fountain will not have to be turned off and drained each year and the batteries should last at least a year. The cost on changing them out every year would be about \$95. I need to add \$1328 to each quote I missed cutting the concrete and digging down 3 feet for frost proof fountain. I apologize for the mistake Scott

From: Ethridge, Kyle < Kyle. Ethridge@louisvilleky.gov>

Sent: Thursday, April 21, 2022 8:37 AM

To: Zoeller, Mark < Mark. Zoeller@louisvilleky.gov>

Subject: RE: Frankfort Avenue & Keats Avenue - Water Fountain Demo & Install Quote

Thanks so much, Mark.

Would these "freeze resistant" water fountains still need to be turned off and on for the seasons?

Also, my biggest concern with the Murdock is the battery pack that is required. Do you know how often it needs to be changed? What's the pricing when it needs to be replaced?

I'll discuss with my boss and get back to you.

Thanks again! Kyle

Ethridge, Kyle

From: Zoeller, Mark

Sent: Thursday, April 28, 2022 12:21 PM

To:Ethridge, KyleCc:Burt, Michael

Subject: RE: Frankfort Avenue & Keats Avenue - Water Fountain Demo & Install Quote

Follow Up Flag: Follow up Flag Status: Flagged

Will do. Looping in Michael Burt with OMB.

From: Ethridge, Kyle < Kyle. Ethridge@louisvilleky.gov>

Sent: Thursday, April 28, 2022 9:59 AM

To: Zoeller, Mark < Mark. Zoeller@louisvilleky.gov>

Subject: RE: Frankfort Avenue & Keats Avenue - Water Fountain Demo & Install Quote

Mark,

Good morning! I apologize in the delayed response. I have spoken with Lusk and a few other agencies, and we are going to select the Elkay model in blue with the bottle filler, regular water fountain and pet fountain features that is freeze resistant.

As I understand it, the costs will be as follows:

Elkay fountain - \$13,452 Cutting of concrete and digging - \$1,328

Total cost \$14,780.

Will Facilities accept these funds from D9?

Thanks, Kyle



Ms. Kyle Ethridge | Legislative Assistant Office of Councilman Bill Hollander 601 W. Jefferson Street | Louisville, KY 40202 d: (502) 574-3908 o: (502) 574-1109

Click <u>here</u> to sign up for the bi-weekly District 9 weekly eNews, and sign up for the D9 <u>blog</u> for the latest neighborhood news and alerts!

From: Zoeller, Mark < Mark.Zoeller@louisvilleky.gov>

Sent: Thursday, April 21, 2022 7:00 AM

To: Ethridge, Kyle < Kyle. Ethridge@louisvilleky.gov>

Subject: FW: Frankfort Avenue & Keats Avenue - Water Fountain Demo & Install Quote

Hey Kyle,



OUTDOOR BOTTLE FILLERS

GY Series

MODEL GYM74
PEDESTAL MOUNTED BOTTLE FILLER
WITH DRINKING FOUNTAIN

STANDARD FEATURES

- Adult ADA compliant for wheelchair users
- Pushbutton and hands free sensor operated Bottle filler
- Battery pack 6-AA
- Laminar flow water supply to bottle filler
- Resistant to sunlight, heat, moisture and wear
- 18 Gage, 304 stainless steel drinking Fountain bowls
- 12 Gage, heavy duty stainless steel construction with corrosion and scratch resistant finish
- Stainless steel, anti-rotation non-squirt bubbler
- Lead and cyst filter (Not available with FRU option)
- 100 mesh inlet strainer
- Access cover, heavy duty stainless steel, vandal resistant

SUGGESTED SPECIFICATIONS

Pedestal bottle filler with drinking fountain shall be Murdock model GYM74. Construction shall be 12 gage, all stainless steel with 18 gage stainless steel fountain bowl. Pedestal base shall have four mounting holes. Access covers shall be secured with vandal-resistant stainless steel screws. Bottle filler shall be activated by a 9 volt sensor or a pushbutton as standard and provide 1.0 GPM flow. Unit shall contain a 100 mesh inlet strainer. lead and cyst filter, 6-AA battery pack and laminar flow spout. Self-closing pushbutton, needing less than 5 pounds force, shall activate internally mounted valve with adjustable stream regulator. Bubbler shall be stainless steel with non-squirt feature and operate on water pressure range of 20-105 psig. Fountain is certified to ANSI A117.1, Public Law 111-380 (NO-LEAD), CHSC 116875 and NSF/ANSI 61, Section 9. Fixture meets ADA requirements when mounted appropriately.

Options Notes:

¹ See separate option sheet.

² This option is not available freeze-resistant.



Model GYM75-PF Shown

MODEL:

(Must Specify)

☐ GYM74	Satin Stainless Finish
☐ GYM75	Green Powder-Coated (Shown)

☐ GYM76 Red Powder-Coated ☐ GYM77 Blue Powder-Coated

OPTIONS

(additional costs may be incurred)

☐ -CH30	Child height, 30" bubbler height Cartridge valve on fountain 1 2
☐-FRU2	
	Freeze resistant, 2 valves ¹ (Less Filter and sensor)
-FRU3	Freeze resistant, 3 valves 1 (Less Filter and sensor)
☐ -FRU4	Freeze resistant, 4 valves 1 (Less Filter and sensor)
☐ -FS	Foot shower
-HB1	Hose bibb, compression, with hose threaded outlet/VB 1 2
☐ -HB3	Hose bibb, loose key, vandal resistant, locked door with hose threaded outlet/VB 1 2
🔲 -IAP	In-ground anchor plate
🔲 -IGM	In-ground 14" mounting adapter
🔲 -JF1	Jug filler, spigot, self-closing valve with plain end 1 2
-JF2	Jug filler, pushbutton, self-closing valve w/ plain end 1
-JFFR1	Jug filler, pushbutton, freeze resistant, self closing valve 1
🔲 -МО	Bottle filler operated by pushbutton only
	(Standard with freeze-resistant valves)
□ -NP2	Non-pollutable, freeze resistant, 2 valves
□ -NP3	Non-pollutable, freeze resistant, 3 valves
-PF	Pet fountain receptor ¹

















Recyclable Product



▲ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MURDOCK MFG. • 15125 Proctor Avenue • City of Industry, CA 91746 USA Phone 800-453-7465 or 626-333-2543 • Fax 626-855-4860 • www.murdockmfg.com






OUTDOOR BOTTLE FILLERS

IMPORTANT: INSTALLATION AND SITE PREP FOR FREEZE RESISTANT OPTIONS "-FRU, -NP" WILL DIFFER FROM STANDARD. REFER TO DESIGNATED FREEZE RESISTANT INSTALLATION DETAILS.

GY Series

MODEL GYM74
PEDESTAL MOUNTED
BOTTLE FILLER
WITH DRINKING FOUNTAIN





OPTIONAL -PF PET FOUNTAIN DETAIL

GENERAL NOTES:

- 1. ALL DIMENSIONS ARE IN INCHES [MM]
- 2. STOP VALVE NOT PROVIDED

Valve specifications:
Minimum/Maximum Pressure
30 to 100 psi.

Murdock Mfg.™ warrants that its products are free from defects in material or workmanship under normal use and service for a period of one year from date of shipment. Murdock's liability under this warranty shall be discharged solely by replacement or repair of defective material, provided Murdock™ is notified in writing within one year from date of shipment, F.O.B. Industry, California.

SUMMARY VAL FOR CTURING	Model Number & Options	Quantity	All dimensions are subject to manufactures tolerance of plus or minus ½" nominal and subject to change without notice. Murdock assumes no responsibility for use of
SELECTION SUMMARY & APPROVAL FOR MANUFACTURING	Contact	Title	void or superseded data. Dimensions may change with the addition of optional accessories. Murdock Mfg.™, Member of Morris Group International™. Please visit www.murdockmfg.com for most current specifications.

MURDOCK MFG. • 15125 Proctor Avenue • City of Industry, CA 91746 USA Phone 800-453-7465 or 626-333-2543 • Fax 626-855-4860 • www.murdockmfg.com

Member of MORRIS GROUP