

PORTLAND BRANCH

3305 NORTHWESTERN PKWY LOUISVILLE, KENTUCKY 40212



CERTIFICATE OF APPROPRIATENESS SUBMISSION

OWNER

LOUISVILLE FREE PUBLIC LIBRARY 301 E York Street Louisville, KY 40203 P: 502.574.1611

ARCHITECT

JRA ARCHITECTS 829 E Market Street, Suite B Louisville, KY 40206 P: 502.583.4697

LANDSCAPE ARCHITECT

MKSK 607 W Main St. Suite 400 Louisville, KY 40202 P: 502.694.1416

STRUCTURAL ENGINEER

JQOL 8440 Allison Pointe Blvd Suite 425 Indianapolis, IN 46250 P: 317.661.1964

MECHANICAL / ELECTRICAL ENGINEER PALADIN

121 Old Lafayette Ave. Lexington, KY 40502 P: 859.695.3299

CIVIL ENGINEER


Civil Design Inc. 9400 Bunsen Pkwy Suite 150 Louisville, KY 40220 P: 217.342.2025

CONCEPT RENDERING


03/16/2023

CONSTRUCTION MANAGER SULLIVAN | COZART 822 W Kentucky Street Louisville, KY 40203 P: 502.584.4213

S-001 S-010	GENERAL NOTES SCHEDULES LOADING PLANS LOWER LEVEL FOUNDATION PLAN
S-110 S-120 S-130	MAIN LIBRARY LEVEL FOUNDATION PLAN MAIN LIBRARY FRAMING PLAN ROOF FRAMING PLAN FRAMING ELEVATIONS
S-301 S-401	BUILDING SECTIONS ENLARGED FOUNDATION PLANS STRUCTURAL LEGENDS
S-503 S-504	TYPICAL SECTIONS AND DETAILS TYPICAL SECTIONS AND DETAILS TYPICAL SECTIONS AND DETAILS
S-505 S-601 S-701 S-801 S-901	TYPICAL SECTIONS AND DETAILS SCHEDULES SPECIAL INSPECTIONS SHEET SPECS MODEL VIEWS
GENERAL G-001	COVER SHEET
G-101 G-102	INFORMATION DRAWING LOCATIONS AND LAYOUT RULES LIFE SAFETY PLAN
CIVIL C-100 C-200	REFERENCE SURVEY GENERAL NOTES DEMOLITION AND EPSC PLAN
C-300 C-400 C-500	SITE LAYOUT AND UTILITY PLAN SITE GRADING PLAN SITE DETAILS
LANDSCAPE L-001	LANDSCAPE INDEX, NOTES AND LEGENDS
L-100	LANDSCAPE MATERIALS SCHEDULE
	LANDSCAPE MATERIALS PLAN SOILS PLAN
	PLANTING PLAN PLANTING DETAILS
L-501	TYPICAL DETAILS STEP WALL DETAILS STAIR AND HANDRAIL DETAILS
STRUCTURAL	
	GENERAL NOTES SCHEDULES LOWER LEVEL FOUNDATION PLAN
S-120	MAIN LIBRARY LEVEL FOUNDATION PLAN MAIN LIBRARY FRAMING PLAN
S-130 S-501	ROOF FRAMING PLAN STRUCTURAL LEGENDS
S-503	TYPICAL SECTIONS AND DETAILS TYPICAL SECTIONS AND DETAILS
	TYPICAL SECTIONS AND DETAILS TYPICAL SECTIONS AND DETAILS SCHEDULES
A-001 A-101	DEMOLITION PLANS OVERALL FLOOR PLANS
	ENLARGED LOWER LEVEL FLOOR PLAN ENLARGED FLOOR PLAN - NORTH
A-131	ENLARGED FLOOR PLAN - SOUTH REFLECTED CEILING PLANS
A-151	FINISH PLANS FURNITURE FLOOR PLANS
A-181 A-201	ROOF PLAN BUILDING ELEVATIONS
	BUILDING AXONS BUILDING SECTIONS
A-381	WALL SECTIONS ELEVATOR PLANS & SECTIONS
A-412	INTERIOR ELEVATIONS INTERIOR ELEVATIONS
A-501	RESTROOM INTERIOR ELEVATIONS AND PLANS EXTERIOR ASSEMBLIES
A-561 A-562 A-563	CASEWORK DETAILS CASEWORK DETAILS CASEWORK ELEVATIONS
A-505 A-570 A-571	CASEWORK ELEVATIONS CHILDREN / TEEN WALL - ENLARGED FLOOR PL CHILDREN / TEEN WALL - CASEWORK DETAILSI
A-572 A-601	CHILDREN / TEEN WALL - CASEWORK DETAILS CHILDREN / TEEN WALL - CASEWORK DETAILS DOOR SCHEDULE AND DETAILS
A-611	WINDOW TYPES AND DETAILS WINDOW TYPES AND DETAILS
	ROOM FINISH SCHEDULE SIGNAGE SCHEDULE
A-701 A-702	TYPICAL PARTITION TYPES AND DETAILS TYPICAL PARTITION DETAILS
PLUMBING P-001.1	PLUMBING DETAILS
	PLUMBING SCHEDULES BASEMENT PLUMBING
	FIRST FLOOR PLUMBING DEMO PLUMBING NEW WORK SECOND FLOOR PLUMBING PLAN
MECHANICAL M-001.1	MECHANICAL DETAILS
M-001.2 M-100	MECHANICAL SCHEDULES BASEMENT PLUMBING
M-101.1	FIRST FLOOR MECHANICAL DEMO MECHANICAL NEW WORK SECOND FLOOR MECHANICAL PLAN
ELECTRICAL	
	ELECTRICAL SCHEDULES BASEMENT ELECTRICAL
	FIRST FLOOR ELECTRICAL DEMO



- **1** Historic Entrance
- 2 Adult Collection
- 3 Service Point
- 4 Community Room
- 5 Elevator
- 6 Maker Space
- 7 Teen Collection
- 8 Children's Collection
- 9 Activity Niche
- **10** Courtyard Entrance











33RD STREET FACADE



EXTERIOR VIEW FROM NORTHWESTERN PARKWAY & 33RD



OVERHEAD VIEW FROM 33RD STREET












BIRDS EYE VIEW OF SITE

AERIAL VIEW LOOKING SOUTHWEST











INTERIOR VIEW OF CHILDREN'S COLLECTION



INTERIOR VIEW FROM TEEN COLLECTION




INTERIOR VIEW FROM ADDITION SERVICE POINT









- PROJECT.

5. ALL UTILITY LINES TO BE ABANDONED IN PLACE, AND ANY OTHER PIPING, CONDUITS, ETC. ENCOUNTERED SHALL BE REMOVED TO A POINT 18" BELOW THE PROPOSED GRADE AND PLUGGED.

6. THE CONTRACTOR SHALL MAKE ALL PROVISIONS TO ASSURE ALL UTILITY MANHOLES, LIDS, VALVES, ETC. (LOCATED HEREON OR NOT) ARE PROPERLY ADJUSTED TO THE GRADES ESTABLISHED BY THIS

7. FILL BELOW GRADE AREAS AND VOIDS RESULTING FROM DEMOLITION ACTIVITIES IN ACCORDANCE WITH THE RECOMMENDATIONS CONTAINED IN THE GEOTECHNICAL EXPLORATION REPORT.

INDEX OF DRAWINGS - CIVIL	
SHEET DESCRIPTION	
REFERENCE SURVEY / GENERAL NOTES	
DEMOLITION AND EPSC PLAN	
SITE LAYOUT AND UTILITY PLAN	
SITE GRADING PLAN	
SITE DETAILS	



GENERAL NOTES:

INLET

INLET

- Щ

NORTHWESTERN PAR FORMERLY HIGH STH (99' R/W PER KYTC PL STATE PROJECT NO. 5

FULL OF TRASH


PLANS -56-593)

-GRATE = 452.33


INV = 448.05

- THE CONTRACTOR SHALL PROVIDE ALL NECESSARY LABOR, MATERIAL, EQUIPMENT, TOOLS, AND SERVICES REQUIRED TO COMPLETE CONSTRUCTION AND MATERIAL TESTING FOR THE WORK. ALL WORK SHALL BE PERFORMED IN A SAFE AND REASONABLE WORKING MANNER IN ACCORDANCE WITH THE BEST PRACTICES AND PROCEDURES.
- 2. THE CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL ORDINANCES, REGULATIONS AND REQUIREMENTS NECESSARY TO COMPLETE THE WORK; THIS INCLUDES PROVISIONS FOR MAINTENANCE OF TRAFFIC, CONSTRUCTION AND THE OCCUPATIONAL SAFETY AND HEALTH ACT (OSHA).
- 3. ALL CONSTRUCTION METHODS, MATERIALS AND WORK ACTIVITIES SHALL BE IN ACCORDANCE WITH THE KENTUCKY TRANSPORTATION CABINET, DEPARTMENT OF HIGHWAYS' STANDARD SPECIFICATIONS AND SUPPLEMENTS FOR ROAD AND BRIDGE CONSTRUCTION, LATEST EDITION, UNLESS OTHERWISE SPECIFIED. THE CURRENT KENTUCKY STANDARD DRAWINGS WILL ALSO APPLY UNLESS NOTED OTHERWISE ON THESE PLANS.
- CONSTRUCTION BOND AND ENCROACHMENT PERMIT WILL BE REQUIRED BY METRO PUBLIC WORKS FOR ALL CONSTRUCTION WORK WITHIN THE S. 28TH STREET AND VIRGINIA AVENUE RIGHT-OF-WAY PRIOR TO CONSTRUCTION APPROVAL.
- FORTY EIGHT (48) HOURS PRIOR TO STARTING CONSTRUCTION A NOTICE SHALL BE GIVEN BY THE DEVELOPER OR CONTRACTOR TO METRO PUBLIC WORKS INSPECTOR FOR NECESSARY INSPECTION OF CONSTRUCTION WORK, SUBGRADE, SUBBASE, BASE, PAVEMENT, SURFACING, ROADWAY AND CURB REPAIRS AND SIDEWALKS. CALL THE INSPECTORS DIRECTLY OR THE MAIN PUBLIC WORKS TELEPHONE NUMBER 502-574-5810.
- THE DEVELOPER IS RESPONSIBLE FOR THE RELOCATION AND ADJUSTMENT OF ALL UTILITY INSTALLATIONS. SHOULD ANY EXISTING DRAINAGE STRUCTURES AND/OR UTILITIES WITHIN THE RIGHT OF WAY NEED TO BE RELOCATED, EXTENDED OR OTHERWISE ALTERED, IT WILL BE AT THE OWNER'S OR DEVELOPER'S EXPENSE.
- 7. IF ANY UTILITY LINES ARE ENCOUNTERED DURING CONSTRUCTION, EXTREME CAUTION SHALL BE EXERCISED AND THE UTILITY COMPANY NOTIFIED IMMEDIATELY. ANY DAMAGE SHALL BE REPAIRED IMMEDIATELY AT THE DIRECTION OF UTILITY COMPANY.
- 8. IT IS THE CONTRACTOR'S RESPONSIBILITY TO OBTAIN ALL FEDERAL, STATE AND LOCAL PERMITS NECESSARY TO PERFORM AND COMPLETE THE PROJECT AS SHOWN ON THESE PLANS.
- CONSTRUCTION STAKING SHALL BE THE CONTRACTOR'S RESPONSIBILITY. ADDITIONAL INFORMATION FOR STAKING THE PROJECTS LINES AND GRADES WILL BE PROVIDED IN AUTOCAD DRAWING FILE FORMAT UPON REQUEST.
- 10. IT IS THE CONTRACTOR'S RESPONSIBILITY TO COORDINATE ALL CONSTRUCTION ACTIVITIES WITH THE UTILITY COMPANIES SUCH THAT ACCESS TO WORK AREAS OR SCHEDULE CONFLICTS DO NOT INTERRUPT OR DELAY THE PROJECT SCHEDULE.
- 11. THE HORIZONTAL AND VERTICAL LOCATIONS OF EXISTING UTILITIES SHOWN ARE APPROXIMATE. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO LOCATE AND VERIFY ALL UTILITIES PRIOR TO BEGINNING CONSTRUCTION, NOTIFY THE ENGINEER OF CONFLICTS OR DISCREPANCIES FOUND, AND TO COORDINATE ALL UTILITY RELOCATES, CONNECTS, AND DISCONNECTS WITH THE APPROPRIATE UTILITY COMPANY.
- 12. COORDINATE BUILDING DIMENSIONS WITH ARCHITECTURAL AND STRUCTURAL DRAWINGS WHICH TAKE PRECEDENCE OVER CIVIL DRAWINGS.
- 13. ALL EXISTING PLANT MATERIALS NOT DESIGNATED FOR REMOVAL SHALL BE PROTECTED FROM DAMAGE DURING CONSTRUCTION. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL COSTS OF RESTORING/REPLACING DAMAGED PLANT MATERIALS.
- 14. CONTRACTOR SHALL KEEP ALL SURROUNDING PUBLIC ROADWAYS, PEDESTRIAN WAYS AND DRAINAGE SYSTEMS FREE FROM DIRT, MUD AND CONSTRUCTION DEBRIS AT ALL TIMES.
- 15. SANITARY SEWERS ARE AVAILABLE BY EXISTING PSC.

₅ 10



COPYRIGHT 2016 - JRA, INC.



CONSTRUCTION SEQUENCE & MAINTENANCE SCHEDULE

- CONTACT MSD INSPECTOR FOR A PRECONSTRUCTION MEETING PRIOR TO INSTALLING ANY EROSION CONTROLS.
- 2. INSTALL SILT FENCE PER M.S.D. DWG. EF-09-02.
- 3. INSTALL SILT SOCK.
- 4. CONSTRUCT ALL SITE IMPROVEMENTS.
- 5. INSTALL PLANNED SURFACE STABILIZATIONS AS AREAS OF WORK ARE COMPLETED.
- 6. EPSC CONTROLS ARE TO BE INSPECTED EVERY SEVEN (7) DAYS AND AFTER EVERY ½" OR MORE RAINFALL EVENT.
- 7. ALL SEDIMENT CONTROL STRUCTURES SHALL BE CLEANED WHEN DEPOSITED SEDIMENT REACHES ¹/₃ THE HEIGHT OF THE STRUCTURE.
- 8. CARE SHOULD BE TAKEN NOT TO DAMAGE SEDIMENT CONTROL STRUCTURES WHEN REMOVING DEPOSITED SEDIMENT. REPAIR AND/OR REMOVE AND REPLACE ANY DAMAGED SEDIMENT CONTROL STRUCTURE AS SOON AS PRACTICAL.
- 9. ONCE SITE STABILIZATION IS ACHIEVED, REMOVE ALL EROSION CONTROL MEASURES AND DISPOSE OF IN AN APPROVED WASTE DISPOSAL SITE.

SITE DEMOLITION KEYNOTES:

- 1. REMOVE ASPHALT PAVEMENT.
- 2. REMOVE CURB.
- 3. REMOVE SIDEWALK.
- 4. REMOVE CONCRETE WALL.
- 5. REMOVE FENCE AND RELOCATE CONDENSING UNITS. COORDINATE WITH MEP.
- 6. REMOVE PAVERS.
- 7. DISCONNECT GAS LINE. RELOCATE GAS METER. COORDINATE WITH MEP.
- 8. DISCONNECT AND REMOVE OVERHEAD UTILITY LINES. COORDINATE WITH APPLICABLE UTILITY COMPANIES FOR DISCONNECT.
- 9. REMOVE SANITARY SERVICE CONNECTION.
- 10. REMOVE SIGN.
- 11. REMOVE TREE.
- 12. REMOVE STEPS.

 $\langle \# \rangle$

STRUCTURE DEMOLITION NOTE

SEE ARCHITECTURAL / STRUCTURAL PLANS FOR STRUCTURE DEMOLITION (I.E. RAMPS, STAIRS, PORCHES, WALLS, ETC.)

EROSION PREVENTION AND SEDIMENT CONTROL NOTES:

INLET -GRATE = 452.33

INLET

-G-----E-----E-----E----

FULL OF TRASH

INV = 448.05

THE APPROVED EROSION PREVENTION AND SEDIMENT CONTROL (EPSC) PLAN SHALL BE IMPLEMENTED PRIOR TO ANY LAND-DISTURBING ACTIVITY ON THE CONSTRUCTION SITE. ANY MODIFICATION TO THE APPROVED EPSC PLAN MUST BE REVIEWED AND APPROVED BY MSD'S PRIVATE DEVELOPMENT REVIEW OFFICE. EPSC BMP'S SHALL BE INSTALLED PER THE PLAN AND MSD STANDARDS.

DETENTION BASINS, IF APPLICABLE, SHALL BE CONSTRUCTED FIRST AND SHALL PERFORM AS SEDIMENT BASINS DURING CONSTRUCTION UNTIL THE CONTRIBUTING DRAINAGE AREAS ARE SEEDED AND STABILIZED.

ACTIONS MUST BE TAKEN TO MINIMIZE THE TRACKING OF MUD AND SOIL FROM THE CONSTRUCTION AREAS ONTO PUBLIC ROADWAYS. SOILS TRACKED ONTO THE ROADWAY SHALL BE REMOVED DAILY.

SOIL STOCKPILES SHALL BE LOCATED AWAY FROM STREAMS, PONDS, SWALES, AND CATCH BASINS. STOCKPILES SHALL BE SEEDED, MULCHED AND ADEQUATELY CONTAINED THROUGH THE USE OF SILT FENCE.

ALL STREAM CROSSINGS MUST UTILIZE LOW-WATER CROSSING STRUCTURES PER MSD STANDARD DRAWING ER-02-03.


WHERE CONSTRUCTION OR LAND DISTURBANCE ACTIVITY WILL OR HAS TEMPORARILY CEASED ON ANY PORTION OF A SITE, TEMPORARY SITE STABILIZATION MEASURES SHALL BE REQUIRED AS SOON AS PRACTICABLE, BUT NO LATER THAN 14 CALENDAR DAYS AFTER THE ACTIVITY HAS CEASED.

SEDIMENT-LADEN GROUNDWATER ENCOUNTERED DURING TRENCHING, BORING OR OTHER EXCAVATION ACTIVITIES SHALL BE PUMPED TO A SEDIMENT TRAPPING DEVICE PRIOR TO BEING DISCHARGED INTO A STREAM, POND, SWALE OR CATCH BASIN.

DUST CONTROL MEASURES, SUCH AS WATERING OF BARE SOIL AREAS, SHALL BE IMPLEMENTED DURING THE CONSTRUCTION OF THIS PROJECT TO MINIMIZE FUGITIVE DUST.







COPYRIGHT 2016 - JRA, INC




CONCRETE SIDEWALK TO BE REMOVED

ASPHALT PAVEMENT TO BE REMOVED

SILT FENCE SILT SOCK

₅ 10 20



SITE LAYOUT KEYNOTES:

- 1. ASPHALT PAVEMENT. SEE SHEET C-500 FOR DETAIL.
- 2. CONCRETE SIDEWALK. SEE SHEET C-500 FOR DETAIL.
- 3. CURB RAMP TYPE "G". LMPW STD. DWG. 425G.
- 4. MEDIAN CURB. SEE DETAIL SHEET L-500.
- 5. CONCRETE CURB WALL.
- 6. CONCRETE STEPS.
- 7. SEAT WALL.


(#)


SITE UTILITY NOTE:

CONNECTIONS.

EXISTING SANITARY SEWER, WATER AND GAS SERVICE CONNECTIONS SHALL REMAIN. CONTRACTOR SHALL VERIFY LOCATION, ELEVATION AND SIZE OF EXISTING

		URA architects 829 East Market Street, Suite B Louisville, Kentucky 40206 502.583.4697
\mathbf{u}		9400 Bunsen Parkway, SUite 150 Louisville, KY 40220 502.671.0060 502.671.0060 502.671.0060 502.671.0060 502.671.0060 502.671.0060
$ \begin{array}{c} $	— E	DESIGN DEVELOPMENT DESIGN DEVELOPMENT OUISVILLE FREE PUBLIC LIBRARY PORTLAND BRANCH 3305 NORTHWESTERN PARKWAY LOUISVILLE, KENTUCKY 40212
INDERTINATION PARKWAY NORTHWESTERN PARKWAY FORMERLY HIGH STREET (99' R/W PER KYTC PLANS - (99' R/W PER KYTC PLANS - STATE PROJECT NO. 56-593)		Ayag Dingal and
	LEGEND CONCRETE SIDEWALK TO BE REMOVED ASPHALT PAVEMENT TO BE REMOVED	DRAWN SAH CHECKED AVD REVISIONS JRA ARCHITECTS HAS RETAINED AN ELECTRONIC VERSION OF THESE DRAWINGS. THE CLIENT AGREES NOT TO REUSE THESE DRAWINGS. THE CLIENT FOR ANY PURPOSE OTHER THAN FOR THE PROJECT. THE CLIENT AGREES TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF THE ARCHITECT. THE CLIENT FURTHER AGREES TO WAVE ALL CLAIMS AGAINST THE ARCHITECT RESULTING IN ANY WAY FROM ANY UNAUTHORIZED CHANGES TO OR REUSE OF THE ELECTRONIC FILES FOR ANY OTHER PROJECT BY ANYONE OTHER THAN THE ARCHITECT.
	0 5 10 20	SITE LAYOUT AND UTILITY PLAN C-300 COPYRIGHT 2016 - JRA, INC.





MATERIALS SCHEDULE


ITEM	SYM	DETAIL	SPECIFICATION
ACCESSORIES			
LANDSCAPE EDGING	LE	9 / L-500	32 93 00
MINERAL MULCH	MM	9 / L-500	32 93 00
CURBS			-
CONCRETE CURB	C1)	PER CIVIL	
INTEGRAL CONCRETE CURB	C2		32 13 13
PAVING			
ASPHALT PAVING	(A1)	PER CIVIL	
CONCRETE PAVING	(CP1)	1 / L-500	32 13 13
CONCRETE PAVING	CP2	1 / L-500	32 13 13
FURNISHINGS			
WHEEL STOP	(FS1)	PER CIVIL	
BIKE RACK	(FS2)		
RAILINGS			
HANDRAIL	(RG1)		
STAIRS	1		
CONCRETE STAIRS	(ST1)		32 13 13
CONCRETE STAIRS	ST2		32 13 13
WALLS			,
CONCRETE RETAINING WALL	(W1)		32 13 13
CONCRETE STADIUM WALL	(W2)		32 13 13
CONCRETE SEAT BENCH	(W3)		32 13 13


CODED NOTES $\langle 3 \rangle$ NOT IN USE

PARKING LOT RESTRIPE; REFERTO CIVIL DRAWINGS.

2 PORTION OF EXISTING WALL TO REMAIN AND BE PROTECTED DURING CONSTRUCTION.


4 EXISTING WALL TO REMAIN, BE PROTECTED DURING CONSTRUCTION AND REPAIRED.






LAYOUT NOTES

- REFER GENERAL NOTES AND PROJECT SPECIFICATIONS FOR ADDITIONAL INSTRUCTIONS.
- 2. FIELD STAKING AND LAYOUT TO BE PERFORMED BY A REGISTERED SURVEYOR. LAYOUT ALL CONSTRUCTION LINES AND VERIFY LAYOUT WITH THE OWNER'S REPRESENTATIVE PRIOR TO BEGINNING ANY CONSTRUCTION WORK.
- 3. IN THE EVENT THAT DISCREPANCIES ARISE BETWEEN WHAT IS SHOWN ON THE DRAWINGS AND ACTUAL FIELD CONDITIONS THE OWNER'S REPRESENTATIVE SHALL BE NOTIFIED IMMEDIATELY FOR RESOLUTION.
- UNLESS NOTED OTHERWISE, DIMENSIONS SHOWN ARE IN FEET AND INCHES AND TO THE EDGE OF PAVEMENT, FACE OF WALL, OR FACE OF CURB.
- 5. RADII OF EXISTING CURBS ARE ESTIMATED FROM SURVEY OR BASE DATA. MAKE ALL MODIFICATIONS NECESSARY TO ASSURE NEW CURBS MEET, FLUSH, EVEN AND ON TANGENT TO EXISTING CURB.
- WALKWAYS AND HARDSCAPE ELEMENTS INDICATED AS CURVILINEAR SHALL HAVE SMOOTH CONTINUOUS CURVES AND ABUTT AT 90 DEGREE ANGLES UNLESS OTHERWISE INDICATED.
- 7. CONCRETE SCORING SHALL BE PARALLEL, PERPENDICULAR OR TANGENT TO ADJACENT IMPROVEMENTS UNLESS OTHERWISE NOTED.
- 8. PROVIDE ISOLATION JOINTS WHERE CONCRETE PAVING OR PAVING BASE MEETS A FIXED STRUCTURE (EXISTING OR PROPOSED).
- 9. PROVIDE FLUSH CONDITIONS AT JUNCTURE OF ALL WALKWAYS AND DOOR THRESHOLDS.
- 10. DO NOT SCALE DRAWINGS. UTILIZE DIMENSIONS INDICATED ON THE PLANS.





DI ANT SCHEDI II E

PLAN	T SCHEDULE		1	1		1
KEY	SCIENTIFIC NAME	COMMON NAME	SIZE	SPACING	CONDITION	NOTES
ORNA	MENTAL TREES	1	1	1		
CE CA	CERCIS CANADENSIS VAR. ALBA	WHITE EASTERN REDBUD	2" CAL.	AS SHOWN	B&B	MULTI-STEM
со ко	CORNUS KOUSA 'KN30-8'	VENUS DOGWOOD	2" CAL.	AS SHOWN	B&B	MULTI-STEM
CO MA	CORNUS MAS 'GOLDEN GLORY'	CORNELIAN CHERRY DOGWOOD	6' TALL	AS SHOWN	B&B	MULTI-STEM, SPECIMEN
DECID	UOUS TREES				-	-
AC GR	ACER GRISEUM	PAPERBARK MAPLE	3" CAL.	AS SHOWN	B&B	
AC PA	ACER PALMATUM 'SANGO-KAKU'	CORAL BARK JAPANESE MAPLE	3" CAL.	AS SHOWN	B&B	SPECIMEN
BE LE	BETULA LENTA	SWEET BIRCH	3" CAL.	AS SHOWN	B&B	SPECIMEN

PLANTING NOTES

- 1. SECURE PLANT MATERIAL AS SPECIFIED ON PLANS. SUBSTITUTIONS FOR PLANT MATERIALS WILL NOT BE ALLOWED WITHOUT PRIOR WRITTEN APPROVAL BY THE LANDSCAPE ARCHITECT.
- 2. PROVIDE PLANT SAMPLES OR PHOTOGRAPHS OF EACH PLANT SPECIFIED TO THE LANDSCAPE ARCHITECT FOR COMPLIANCE REVIEW PRIOR TO INSTALLATION.
- 3. PROTECT PLANT MATERIAL DURING DELIVERY TO PREVENT DAMAGE TO ROOT BALLS, TRUNKS, BRANCHES AND THE DESICCATION OF LEAVES. PROTECT PLANT MATERIAL DURING SHIPPING WITH SHADE CLOTH OR SHIP WITH ENCLOSED TRANSPORT. MAINTAIN PROTECTIONS AND HEALTH OF PLANT MATERIAL STORED ON SITE. HANDLE TREES WITH NYLON STRAPS. NO CHAINS OR CABLES WILL BE ALLOWED. REMOVE UNACCEPTABLE PLANT MATERIAL IMMEDIATELY FROM THE SITE.
- 4. PLANT MATERIAL DELIVERED TO THE SITE IS SUBJECT TO THE REVIEW OF THE LANDSCAPE ARCHITECT BEFORE, DURING AND AFTER INSTALLATION.
- 5. VERIFY PLANTING PRODUCTS, PLANT MATERIAL, AND PLANT QUANTITIES DELIVERED TO THE SITE MATCH WHAT IS INDICATED ON THE PLANS AND SPECIFICATIONS.
- 6. STAKE BED LINES AND TREE LOCATIONS FOR THE LANDSCAPE ARCHITECT'S REVIEW PRIOR TO INSTALLATION. PLANTING PROCEDURES ARE SUBJECT TO THE REVIEW OF THE LANDSCAPE ARCHITECT AND THE CONTRACTOR SHALL CORRECT ANY DEFICIENCIES FOUND AT NO ADDITIONAL COST TO THE OWNER.
- 7. REFER TO THE PLANTING DETAILS FOR MINIMUM SIZE AND WIDTH OF PLANTING PITS AND BEDS, GUYING AND STAKING, MULCHING, AND OTHER PLANTING REQUIREMENTS.
- 8. ROOT BALLS SHALL CONFORM TO THE SIZE STANDARDS SET FORTH IN "AMERICAN STANDARDS FOR NURSERY STOCK".

- DUE TO IMPROPER DRAINAGE.
- INSTALLATION.
- ACCEPTANCE.


9. PLANT MATERIAL DELIVERED TO THE SITE IS SUBJECT TO THE REVIEW OF THE LANDSCAPE ARCHITECT BEFORE, DURING AND AFTER INSTALLATION.


10. TEST FILL EACH TREE AND PLANTING PIT WITH WATER, PRIOR TO PLANTING TO ASSURE PROPER SOIL PERCOLATION. PITS WHICH DO NOT ADEQUATELY DRAIN SHALL BE FURTHER SCARIFIED ALONG OUTER EDGES AND SIDES OF PIT. DO NOT DISTURB AREA SUPPORTING TREE BALL. REPEAT TEST. ALLOWANCES WILL NOT BE MADE FOR PLANT MATERIAL LOSS


11. PLANT MATERIALS, INCLUDING RELOCATED PLANT MATERIAL, SHALL BE PLANTED IN A PROFESSIONAL MANNER TYPICAL TO THE INDUSTRY STANDARDS OF THE AREA TO ASSURE COMPLETE SURVIVABILITY OF PLANT MATERIALS AS WELL AS TO PROVIDE AN AESTHETICALLY APPROVED PROJECT.

12. REMOVE PLANTING AND LANDSCAPE DEBRIS FROM THE PROJECT SITE AND SWEEP AND WASH CLEAN PAVED AND FINISHED SURFACES AFFECTED BY THE LANDSCAPE

13. PLANTING AREAS SHALL BE WEED FREE PRIOR TO PLANTING INSTALLATION AND MAINTAINED WEED FREE THROUGH FINAL










 $\rightarrow --- \rightarrow \rightarrow$









F DEMOLITION ELEVATION - WEST





C ATTIC / SECOND DEMOLITION FLOOR PLAN 1/8" = 1'-0"



















A ENLARGED LOWER LEVEL PLAN 1/4" = 1'-0"


MARK	DESCRIPTION	PROVIDED BY	CON
WARN	DESCRIPTION	PROVIDED BI	CON
	3D led smart tv, 6 series		
05 5000 ·	SPECIALTY EQUIPMENT		
A1	REFRIGERATOR		
A2	PAYMENT STATION		
A3	LADDER		
A4	MICROWAVE		
10 1100 -	VISUAL DISPLAY SURFACES		
B1	3D LED SMART TV, 6 SERIES	0.F.O.I.	
T1	TOILET ACCESSORY GRAB BAR SET: 36" BACK, 42" SIDE, 18" VERTICAL	C.F.C.I.	
T2	BABY CHANGING STATION	C.F.C.I.	
T3	TOILET PAPER DISPENSER - SINGLE ROLL	C.F.C.I.	
T4	PAPER TOWEL DISPENSER - SURFACE MOUNTED	C.F.C.I.	
T5	SOAP DISPENSER - SURFACE MOUNTED, VERTICAL	C.F.C.I.	
T6	FRAMED MIRROR - 18" x 30"	C.F.C.I.	
T22	HAND DRYER		
0 1 7	use with PC2 and PL Poles		
 	PLAN KE	C.F.C.I.	



DULE		
BY	COMMENTS	









23 9:59:20 AM


MARK	DESCRIPTION	PROVIDED BY	CC
	DESCRIPTION	FROVIDED BI	
	3D led smart tv, 6 series		
05 5000 ·	SPECIALTY EQUIPMENT		
A1	REFRIGERATOR		
A2	PAYMENT STATION		
A3	LADDER		
A4	MICROWAVE		
10 1100 -	VISUAL DISPLAY SURFACES		
B1	3D LED SMART TV, 6 SERIES	0.F.O.I.	
T1	TOILET ACCESSORY GRAB BAR SET: 36" BACK, 42" SIDE, 18" VERTICAL	C.F.C.I.	
T2	BABY CHANGING STATION	C.F.C.I.	
Т3	BABY CHANGING STATION TOILET PAPER DISPENSER - SINGLE ROLL	C.F.C.I.	
	BABY CHANGING STATION	C.F.C.I. C.F.C.I.	
Т3	BABY CHANGING STATION TOILET PAPER DISPENSER - SINGLE ROLL PAPER TOWEL DISPENSER - SURFACE	C.F.C.I.	
T3 T4	BABY CHANGING STATION TOILET PAPER DISPENSER - SINGLE ROLL PAPER TOWEL DISPENSER - SURFACE MOUNTED SOAP DISPENSER - SURFACE MOUNTED,	C.F.C.I. C.F.C.I.	
T3 T4 T5	BABY CHANGING STATION TOILET PAPER DISPENSER - SINGLE ROLL PAPER TOWEL DISPENSER - SURFACE MOUNTED SOAP DISPENSER - SURFACE MOUNTED, VERTICAL	C.F.C.I. C.F.C.I. C.F.C.I.	
T3 T4 T5 T6 T22	BABY CHANGING STATION TOILET PAPER DISPENSER - SINGLE ROLL PAPER TOWEL DISPENSER - SURFACE MOUNTED SOAP DISPENSER - SURFACE MOUNTED, VERTICAL FRAMED MIRROR - 18" x 30" HAND DRYER	C.F.C.I. C.F.C.I. C.F.C.I.	
T3 T4 T5 T6 T22	BABY CHANGING STATION TOILET PAPER DISPENSER - SINGLE ROLL PAPER TOWEL DISPENSER - SURFACE MOUNTED SOAP DISPENSER - SURFACE MOUNTED, VERTICAL FRAMED MIRROR - 18" x 30" HAND DRYER	C.F.C.I. C.F.C.I. C.F.C.I.	
T3 T4 T5 T6 T22 Only for 0 C1	BABY CHANGING STATION TOILET PAPER DISPENSER - SINGLE ROLL PAPER TOWEL DISPENSER - SURFACE MOUNTED SOAP DISPENSER - SURFACE MOUNTED, VERTICAL FRAMED MIRROR - 18" x 30" HAND DRYER	C.F.C.I. C.F.C.I. C.F.C.I. C.F.C.I.	




DULE		
) BY	COMMENTS	
	FER TO	













SPECIALTIES & EQUIPMENT SCHEDULE (---) DESCRIPTION PROVIDED BY COMMENTS MARK 3D led smart tv, 6 series 05 5000 - SPECIALTY EQUIPMENT A1REFRIGERATORA2PAYMENT STATION A3 LADDER A4 MICROWAVE 10 1100 - VISUAL DISPLAY SURFACES 0.F.O.I. B1 3D LED SMART TV, 6 SERIES 10 2800 - TOILET ACCESSORY T1 GRAB BAR SET: 36" BACK, 42" SIDE, 18" C.F.C.I. VERTICAL T2 BABY CHANGING STATION C.F.C.I. T3 TOILET PAPER DISPENSER - SINGLE ROLL C.F.C.I. T4 PAPER TOWEL DISPENSER - SURFACE C.F.C.I. MOUNTED T5 SOAP DISPENSER - SURFACE MOUNTED, C.F.C.I. VERTICALT6FRAMED MIRROR - 18" x 30"T22HAND DRYER C.F.C.I. Only for use with PC2 and PL Poles C1 BRACKET-L_RAKKS 10" PLAN KEYNOTES PEI. D1 EMPLOYEE LOCKER C.F.C.I. PLYWOOD OVER COLDFORM METAL STUD FLOORING. REFER TO STRUCTURAL.


B ENLARGED PLAN - AUDITORIUM STORAGE













B LIBRARY LEVEL UPPER REFLECTED CEILING PLAN


D LOWER LEVEL REFLECTED CEILING PLAN 1/8" = 1'-0"



PLYWOOD OVER COLDFORM METAL STUD FLOORING. REFER TO STRUCTURAL.


PLAN KEYNOTES







┍╼┵╌┑


1










C ATTIC / SECOND FLOOR FINISH PLAN 1/8" = 1'-0"



KEYNOTE LEGEND KEYNOTE DESCRIPTION KEY VALUE









B UPPER LEVEL FURNITURE FLOOR PLAN 1/8" = 1'-0"


PLEASE NOTE THAT THESE DRAWINGS ARE FOR REFERENCE ONLY. FURNITURE IS OWNER FURNISHED & INSTALLED.
















- CONTINUOUS SOLDER ___(07 6100) - FLAT-SEAM SHEET METAL ROOFING (06 1600) - COMPOSITE NAIL — BASE INSULATED SHEATHING _ (07 5423) - ROOF INSULATION - 2 LAYERS STAGGERED __ (07 5423) - VAPOR RETARDER (07 5423) - SUBSTRATE BOARD (05 3100) - STEEL DECK -REFER TO STRUCTURAL




1 L------L – 1 1 1 1 1 <u>KEY PLAN</u> Ν L____


ROOF KEYNOTES





	H 301 A-3	
	THIN LIMESTONE CLADDING WITH REVEALS ALIGNED WITH EXISTING EAVE DETAILS	UPPER GLAZING IS CLEAR, LOW-E INSULATED UNITS WITH UPPER GLAZING IS CLEAR, LOW-E INSULATED UNITS WITH ENCAPSULATED WOOD GRILLES (OKAWOOD OR EQUIVALENT)
		Image: CW-1 Image: CW-1
E LINE ITEM PRICE TO E ALL EXISTING WINDOW WITH NEW, PAINTED GASHES WITH 5/8" LOW-E GU'S		







Ď


<u>/H</u>


_____F___








	SPECIALTIES & EQUIP	MENT SCHEDULE	E
MARK	DESCRIPTION	PROVIDED BY	COMMENTS
	3D led smart tv, 6 series		
05 5000 -	SPECIALTY EQUIPMENT		
A1	REFRIGERATOR		
A2	PAYMENT STATION		
A3	LADDER		
A4	MICROWAVE		
10 1100 - B1	VISUAL DISPLAY SURFACES 3D LED SMART TV, 6 SERIES	0.F.O.I.	
10 2800 -	TOILET ACCESSORY		
T1	GRAB BAR SET: 36" BACK, 42" SIDE, 18" VERTICAL	C.F.C.I.	
T2	BABY CHANGING STATION	C.F.C.I.	
Т3	TOILET PAPER DISPENSER - SINGLE ROLL	C.F.C.I.	
T4	PAPER TOWEL DISPENSER - SURFACE MOUNTED	C.F.C.I.	
T5	SOAP DISPENSER - SURFACE MOUNTED, VERTICAL	C.F.C.I.	
T6	FRAMED MIRROR - 18" x 30"	C.F.C.I.	
T22	HAND DRYER		
Only for u	ise with PC2 and PL Poles		
C1	BRACKET-L RAKKS 10"		
PERSON	AL STORAGE		
		C.F.C.I.	











JLE		
Y	COMMENTS	

