ORDINANCE NO. \_\_\_\_\_, SERIES 2017

AN ORDINANCE APPROPRIATING \$6,000 FROM NEIGHBORHOOD DEVELOPMENT FUNDS IN THE FOLLOWING MANNER: <del>\$2,500</del> <u>\$2,300</u> FROM DISTRICT 18; \$500 FROM DISTRICT 16; \$300 FROM DISTRICT 14; \$250 EACH FROM DISTRICTS 9, 10, 12, 13, 15, 17, 20, AND 22; \$200 EACH FROM DISTRICTS 1, 2, <u>AND 7, AND 21;</u> AND \$100 FROM DISTRICT 4; THROUGH THE OFFICE OF MANAGEMENT AND BUDGET, TO THE START THE HEART FOUNDATION, INC. FOR THE PURCHASE OF CPR DUMMIES, PUMPS, AND AN AED TRAINER. <u>(AS AMENDED).</u>

## SPONSORED BY: COUNCIL MEMBERS PARKER, REED, FOWLER, HOLLANDER, MULVIHILL, BLACKWELL, AUBREY WELCH, BUTLER, STUCKEL, BENSON, ENGEL, GREEN, SHANKLIN, LEET, SEXTON SMITH, JOHNSON

## BE IT ORDAINED BY THE LEGISLATIVE COUNCIL OF THE LOUISVILLE/JEFFERSON COUNTY METRO GOVERNMENT (THE COUNCIL) AS FOLLOWS:

**SECTION I:** The sum of \$6,000 is hereby appropriated from Neighborhood

Development Funds in the following manner: <u>\$2,500</u> <u>\$2,300</u> from District 18; \$500

from District 16; \$300 from District 14; \$250 each from Districts 9, 10, 12, 13, 15,

17, 20, and 22; \$200 each from Districts 1, 2, and 7, and 21; and \$100 from District

4; through the Office of Management and Budget, to The Start the Heart

Foundation, Inc. for the purchase of CPR dummies, pumps, and an AED trainer.

**SECTION II:** The Council has determined the funds requested in this Ordinance will be expended for a public purpose.

**SECTION III:** This grant is subject to the Council's Policies and Procedures as adopted and effective at the date of passage of this Ordinance.

**SECTION IV:** This Ordinance shall take effect upon its passage and approval.

H. Stephen Ott Metro Council Clerk David Yates President of the Council

Greg Fischer Mayor

Approval Date

## APPROVED AS TO FORM AND LEGALITY:

Michael J. O'Connell Jefferson County Attorney

BY: \_\_\_\_\_

Start the Heart Found 100 Dummies, AED Trainer, and Pumps NDF O-224-17 nl 07062017 Draft 1.docx Start the Heart Found 100 Dummies, AED Trainer, and Pumps NDF O-224-17 nl 07242017 Draft 2.docx