

## **Landmarks Certificate of Appropriateness & Overlay District Permit**

Fee: No Fee

Louisville Metro Planning & Design Services

For detailed definition application.	ons of Certificate of Appropriateness and Overlay District Permit, please see page 4 of this
Project Informa	tion:
Certificate of	□ Butchertown □ Clifton Cherokee Triangle □ Individual Landmark □ Limerick □ Old □ Parkland □ West Main
<u>Overlay</u>	□ Bardstown/Baxter Ave Overlay (BRO) □ Downtown Development Review Overlay (DDRO) □ Nulu Review Overlay District (NROD)
	Young Garage Replacement
Project Address /	Parcel ID: 1269 Bassett Ave, 40204/075J00340000
Total Acres:	5050
Project Cost (exte	erior only): \$\frac{5}{25},000 PVA Assessed Value: 308, 530
Existing Sq Ft: 4	00 (Garage) New Construction Sq Ft: 400 Height (Ft): 12 8" Stories:
Project Description	(use additional sheets if needed):
Existing to wood	garage has severe structured damage of framing and unverpoisable rot. New will use existing pad and be built imilar stylet See plans for obetails
	RECEIVED SEP 21 2018 1800412339
	PLANNING &
District Developme	ent Plan Application Planning & Design Services

## **Contact Information:**

Owner:   Check if primary contact	Applicant:							
Name: David Kand	Name: Brass							
Company:	Company: On (a) all Almahite to The							
Address: 1260 B-SSEH A.	Address: 444 R de 100							
City State Ly Zip: 40Zo4	City: State: Ly Zip: 4204							
Primary Phone:	Primary Phone: 502-2.2-7086							
Alternate Phone:	Alternate Phone:							
Email	Email: Kyle & enclos/ larchitecture · Con							
Owner Signature (required):	THE THE THE PARTY OF THE PARTY							
Attorney:    Check if primary contact	Plan prepared by:							
Name:	Name: Kyle Bragg							
Company:	Company: One Wild Architecture							
Address:	Address: 414 Box for An Sk 101							
City State: Zip:	City: Louisville State: Ky Zip: 40204							
Primary Phone:	Primary Phone: 507-717-705-6							
Alternate Phone:	Alternate Phone:							
Email RECEIVED	Email: Kile Conceptalarditation							
SEP 2.1 2018	Con							
PLANNING &								
Certification Statement: A certification statement must be subject property is (are) a limited liability company, corporation, next								
subject property is (are) a limited liability company, corporation, part owner(s) of record sign(s) the application.	nership, association, trustee, etc., or it someone other than the							
I, Kyle Brugg, in my capacity as Vepresentative, hereby certify representative/authorized agent/other								
that David Young is (are) the	e owner(s) of the property which is the subject of this							
name of LLC / corporation / partnership / etc.								
application and that I am authorized to sign this applicat	tion on behalf of the owner(s).							
Signature:	Date: $9/z/18$							
I understand that knowingly providing false information on this application void. I further understand that pursuant to KRS 523.010, et seq. knowing information with the intent to mislead a public servant in the performance.	gly making a material false statement, or otherwise providing false							

## Please submit the completed application along with the following items:

Re	equired for every application:
	Land Development Report
	Current photographs showing building front, specific project area, and surrounding buildings
	Elevations, pictures, samples, brochures, or other technical data describing materials, such as windows, doors, roofing, fencing, etc. to be used in the renovation or replacement
Sit	te and Project plan: (required for building additions, new structures and fencing)
	<u>Site plan</u> <i>drawn to scale</i> with dimensions, as applies to the project, indicating property lines, structures, landscaping, fencing, and parking
	Floor plans drawn to scale with dimensions and each room labeled
	<u>Elevation drawings</u> (a drawing showing exterior walls) <i>drawn to scale</i> with dimensions. For fencing, only photos/drawings of the proposed fence are required.
Co	ommittee Review Only ommittee reviews may be required due to the complexity of the case. The necessity of these items will be termined by staff upon review. Projects requiring committee level review include construction of new ildings, demolition, and projects that vary widely from design guidelines.
	Two sets of 11"x17" format site plans drawn to scale with dimensions
	Two sets of 11"x17" elevation drawings to scale with dimensions
	Two sets of 11"x17" landscaping drawings to scale with dimensions
	One set of mailing label sheets for: 1 <sup>st</sup> tier Adjoining Property Owners (APOs) <sup>3</sup> , owners, applicants, contacts, and Case Manager. Applicant is responsible for mailing.
	One copy of the mailing label sheets RECEIVED
	SEP 2.1 2018
Re	PLANNING & DESIGN SERVICES
1.	For a Land Development Report, go to the following website and enter address in the search bar. After the map zooms to the location, click on the icon that looks like the letter "d" in a green circle. Print report.

- https://www.lojic.org/lojic-online
- 2. Deeds and plats can be found at the Jefferson County Clerk's Office (527 West Jefferson Street, 2nd fl, Many deeds, plats and other records are available online at: https://search.jeffersondeeds.com/
- 3. Adjoining property ownership information can be found at the Property Valuation Administrator (PVA) office at 531 Court Place, Suite 504 or via their website: https://ieffersonpva.kv.gov/property-search/
- 4. View agency comments at: <a href="http://portal.louisvilleky.gov/codesandregs/mainsearch">http://portal.louisvilleky.gov/codesandregs/mainsearch</a>. Enter your case number in the 'Permit/Case/Docket Number' search bar and then select your case under the 'Application Number' tab.

18COA1239


## **Submittal Instructions:**

Applications are due on Fridays at 5:00 p.m. Once complete, please bring the application and supporting documentation to: Planning and Design Services, located at 444 South 5th Street, Suite 300. For more information, call (502) 574-6230 or visit https://louisvilleky.gov/government/planning-design/

## **Definitions:**

Certificate of Appropriateness: A project involving physical changes to the exterior of a building, structure, or property designated as a local landmark or located within a local preservation district shall require prior approval in the form of a Certificate of Appropriateness. An approval requires substantial conformance to design guidelines established for each landmark and district. The design guidelines, along with other information regarding local preservation districts, may be found at the website of the Landmarks and Preservation Districts Commission: <a href="https://louisvilleky.gov/government/planning-design/historic-preservation-landmarks-and-overlay-districts">https://louisvilleky.gov/government/planning-design/historic-preservation-landmarks-and-overlay-districts</a>

Overlay District Permit: A project involving physical changes to the exterior of a building, structure, or property within an overlay district shall require prior approval in the form of an Overlay Permit. An approval requires substantial conformance to design guidelines established for each overlay district. The design guidelines, along with other information regarding overlay districts, may be found at the following website: <a href="https://louisvilleky.gov/government/planning-design/historic-preservation-landmarks-and-overlay-districts">https://louisvilleky.gov/government/planning-design/historic-preservation-landmarks-and-overlay-districts</a>



18COA1239

## LOJIC

## **Land Development Report**

September 21, 2018 9:21 AM

About LDC

Location

Parcel ID:

Parcel LRSN:

Address:

Zoning

Zoning:

Form District: Plan Certain #:

Proposed Subdivision Name:

Proposed Subdivision Docket #:

Current Subdivision Name:

Plat Book - Page:

Related Cases:

**Special Review Districts** 

Overlay District:

Historic Preservation District:

National Register District:

Urban Renewal: Enterprise Zone:

System Development District:

Historic Site:

**Environmental Constraints** 

Flood Prone Area

FEMA Floodplain Review Zone:

FEMA Floodway Review Zone:

Local Regulatory Floodplain Zone or

Combined Sewer Floodprone Area:

Local Regulatory Conveyance Zone:

FEMA FIRM Panel:

Protected Waterways

Potential Wetland (Hydric Soil):

Streams (Approximate):

Surface Water (Approximate):

Slopes & Soils

Potential Steep Slope:

Unstable Soil:

Geology

Karst Terrain:

Sewer & Drainage

MSD Property Service Connection:

Sewer Recapture Fee Area:

Drainage Credit Program:

Services

Municipality:

Council District:

Fire Protection District:

Urban Service District:

075J00340000

81603

1269 BASSETT AVE

R5

TRADITIONAL NEIGHBORHOOD

NONE

NONE

NONE

EASTERN PARKLAND CO.

01-066

NONE

NO

CHEROKEE TRIANGLE CHEROKEE TRIANGLE

NO

NO

YES

NO NO

NO

NO

NO

NO

NO

NO

YES

YES

NO

NO

21111C0043E

RECEIVED

SFP 2 1 2018

**PLANNING &** 

**DESIGN SERVICES** 

CSO127 - Project(s) Value between \$.04 - \$1.5

LOUISVILLE

LOUISVILLE #4

YES

View all HardiePlank Lap Siding Products



			*	É				7	nous		NEW
			12 in.	10.75 in.		152	9.3	The same of the sa			MS MS
			9.25 in.* 12 in.**	8 E		190	12.5	7		3.	NEW
		8.25 in.	7 in.	210	230	14.3	) La			MEW	
			7.25 in.	6 in.	252	252	16.7	Ta			NEW
		inks	5.25 in. 6.25 in.	5 jj.	280	308	20.0	7			Ļ
	5/16 in.	12 ft. planks	5.25 in.	4 iii.	324	360	25.0	}			
SELECT CEDARALL	Section of the sectio	20000 200000 200000 200000 200000	Accordance of the control of the con		Silver Si		Ž.	(T			
		I				arance .					300000000

RECEIVED

SEP 21 2018 PLANNING & DESIGN SERVICES



## Benefits 75 THE RESERVE OF THE PERSON OF T 1111 RECEIVED SEP 21 2018 PLANNING & DESIGN SERVICES SING S TREES STREET

## Timberline Ultra HD® and Timberline HD® Shingles Provide These Unique

- Becutiful lock... Features GAF's proprietary color blends and enhanced shadow effect for a genuine wood-shake lock
  - Highest Roofing Fire Rating, UL Class A, listed to ANSI/ UL 790.
- High Performance... Designed with Advanced Protection" Shingle Technology, which reduces the use of natural resources while use of natural resources while providing excellent protection for your home (visit gof com/APS/to lean morel.
  - Stays in Place. Dura Grip" Adhesive seals each shingle lightly and reduces the tisk of shingle blow-off. Shingles varianted to withstand winds up to 130 mph.<sup>1</sup>
    - Choice\* Protection (non-prorated material and installation labor coverage) for the first ten years.2 Peace Of Mincl., Ufetime Itd.
       Iransferable warranty with Smart
- Fefect Finishing Touch.
   Use Timbertex? Premium Ridge Cap Shingles or Ridglass? Premium Ridge Cap Shingles?
- This wind speed tenentge inquires special infections and 645 fillings is Accessing. By Microray for default, we case to the Withroamy See Cold, Single is Accessing the Withroamy Compilee coverage and elementons. The word Tellineir lesses to the length of coverage provided by the Cold Single is accessing the Cold Single in the Cold Single Single in the Cold Single in the Cold Single in the Cold Single Single

NOTE: It is difficult to reproduce the color about and actual color blends of these products. Before selecting your color, plea ask to see several killsizer shingke.





to Watch house INBERUNE.

More homeowners in North America choose **Imberline HD®** Shingles than any other brand. They offer just the right combination of beauty, performance, and reliability—and are the best value in roofing today.

When you install Timberline HD® Shingles, you'll be installing the brand that professional installers have long preferred for its rugged, dependable performance—thanks to Advanced Protection® Shingle Technology. And you'll be getting your own genuine Timberline® roof!

#1-selling shingle North America's Timberline® HD:

8 COA 1239

# Bay & Bow | Double-Hung | Single-Hung | Sliding Fixed, Radius & Geometric | Garden | Patio Doors **Builders Vinyl** Window & Patio Door Features JELDWEN.

# **ENERGY SAVING GLASS**

JELD WEN.

all the product information and design advice you need. learning about our reliable windows and doors. It has The JELD-WEN website is your ultimate resource for

Visit us at jeld-wen.com today.

## Offering the most cochefficient energy upgade, the Energy Saver package includes upgades from clear to LOS glass and argon gas for inscreaed them performere theirp Saver reduces hast loss of 20% compared to Energy Saver®-Reduce Heat Loss Up To 30%



# Energy Saver® Plus-Reduce Heat Loss Up To 40%

JELD-WER products create lacting value for your horne. We are so confident that you will be pleased with our vinyl window: and patio toors, that each one carries our industry-leading warranty. Here are

just some of the highlights of our warranty...

for improved thermal performance and LoC -26s glass. With trible layers of Icaw's couling, LoS-366 livins you save energy through mproved theorems performance, leduces solar livin gain and heips postect intensit The best value in insulating glass, Energy Saver Plus Includes, argon par furnishings from lading. Energy Saver Plus reduces heat loss by 40% compared to clear insulating glass

## Tempered Glass

kress, which makes if stronger. After glass has been speed if will not been linto dangarous shards, but so snoothes round pieces. Local codes often require especial giss, to be used in all windows that are one to the lists or rear does; bathfulo or showers, engieled glass is the result of a heal-treating

## Neat\* Glass\*

With this glass option you gain natural channes connected by harnesting the part of the top is country to country the state of the country of the state of the country of the state of the country of the state of th basely dinse away grims. No marsual activation is required

for more information visit www.leld-wen.com

LIFETIME Each one of our various, and page done is built to set.

WARRANTY
We prove this by supporting each product with our Edding

## CREEN WE DING

2 1 2018 SEP PLANNING &
DESIGN SERVICES

# The Window & Patic Door Limited Warranty Includes:

POTE: The above information is a summary of key provisions of the IELD-WEB Williadow E abot Door United Warrang Wileyton Reformery 1, 2014, for a complete cyte of the current oversion encouncy important immittations and authority, see pour saless associate or other to www.eletd.com

Textured and Tinted Glass\*

























## RECEIVED SEP 21 2018 PLANNING & DESIGN SERVICES





PATIO DOOR OPTIONS



# WEN-LOCK Finishes









Style Cam-Lock




















Window Opening Control Device (WOCD)







Contour Slim SDL

Flat GBG ....



**ELEMENTS & OPTIONS** 



















Exterior Vinyl Colors



Subject to regional dealers may subject to regional dealershilly subject to regions organized



Grilles Between the Glass (GBG)

18COA1239

Frame Options

Window and Patio Door Styles

Pet Panel Option Available

Sittles vertically to alkny outdoor access.
 Available in standard 6:0° x 8:6° and contorn using on till ont.

Feature. The avaid scienting WEN-LOUE\* for unculty.
 Magnetic pull on the pel flap, to prevent it from being blown-in by strang winds.

Visit www.jeld-wen.com or see you lead dealer for complete sizing reformation

## Steamfileed design worst chainst wave like many atternasise obtiens Automatically limits sest operating to less than 4 technics. Méanuai oversale for full operation and for emissionsy excape and rescue fervore automatically resets by cicking file wendow Meets the ASTM F2050-10 standar Features & Benefits