
"It is understood and agreed that the Designer's Basic services under this agreement do not include project site visits, observation, or review of the Contractors' performance of any other construction phase services, and that such services will be provided by the Owner. The Owner assumes all responsibility for interpretation of the drawings and specifications and for construction observation and supervision, and waives any claims against the Designer that may be anyway connected thereto. In addition, the Owner agrees, to the fullest extent permitted by law to indemnify and hold the Designer harmless from any loss, claim, or cost, including reasonable attorneys' fees and costs of defense, arising or resulting from the performance of such services by other persons of entities and from any claims arising from modifications, clarifications, interpretations, adjustments or changes made to the drawings and specifications to reflect changed field or other conditions, except for claims arising from sole negligence or willful misconduct of the Designer."


Designer is retained solely for preparation

responsible for proper sizing or strength of

structural components or the mechanical or electrical requirements of the structure.


of design concepts only and shall not be






PROPOSED FOUNDATION PLAN

SCALE 1/4"=1'-0"



#### PROPOSED SITE PLAN


SCALE 1"=20'





PROPOSED LEFT SIDE ELEVATION

SCALE 1/4"=1'-0"



PROPOSED REAR **ELEVATION** SCALE 1/4"=1'-0"

EXISTING

₹ W RAFTER SPAN CONTINUOUS RIDGE VENT 1 HOUR FIRE RATED EXTERIOR ASPHALT SHINGLES 15# ROOF FELT UL DES U303 5/8 PLYWOOD SHEATHING 2X6@16" O.C. RAFTER R-38 INSULATION ALUMINUM DRIP EDGE ALUMINUM DRIP EDGE ALUMINUM GUTTER ALUMINUM GUTTER 1X 6 HARDIE BD GUTTER BD. 1X 6 HARDIE BD GUTTER BD. METAL STRAPPING AT CORNERS (2) 2X10 W/ 1/2" PLYWOOD (2) 2X4 TOP HARDIE BD SOFFIT HARDIE BD SOFFIT CONTINUOUS 1X 6 HARDIE BD FRIEZE ─ 1X 6 HARDIE BD FRIEZE HEADER 4" EXPOSURE SMOOTH HARDIE SIDING SIDING SHADED AREA SHOW 3/4" 4" EXPOSURE SMOOTH PLYWOOD, GLUED AND SCREWED HARDIE SIDING SIDING R-2 1/2" SHEATHING -PLYWOOD AT CORNERS 5/8" DENSGLASS 2X4 PLATE FIREGUARD ~ SHEATHING 2X4 @ 16" O.C. R-13 FIBERGLASS INSULATION 1 HOUR RATED WALL 2" RIGID OR SPRAY FOAM INSULATION 2X10@ 16" O.C. ENTIRE PERIMETER APPROX. GRADE TREATED 2X6 PLATE 1/2" DIA. 12" J BOLT @ 8" CONCRETE BLOCK FOUNDATION WALL 16X8 CONCRETE FOOTING W/ 2#4 REBAR MIN 24" BELOW

STRAP TIE

CORNERS

CONTINUOUS (2)

1/2" PLYWOOD

1 HOUR RATED

3/4" PLYWOOD SHEATHING ENTIRE WALL

# PROPOSED SECTION A-A

6 MIL POLY VB OVER 4" CLEAN CRUSHED ROCK OVER SCRAPED EARTH

CONDITIONED CRAWL SPACE

SCALE 1/4"=1'-0"

# PROPOSED RIGHT SIDE ELEVATION


materials in any form at the project site.

Designer is retained solely for preparation of design concepts only and shall not be

responsible for proper sizing or strength of


structural components or the mechanical or electrical requirements of the structure.

SCALE 1/4"=1'-0"



# PROPOSED CABINET ELEVATION A

SCALE 1/2"=1'-0"




### PROPOSED CABINET ELEVATION B

SCALE 1/2"=1'-0"




## PROPOSED CABINET ELEVATION C

SCALE 1/2"=1'-0"




#### PROPOSED CABINET ELEVATION D

SCALE 1/2"=1'-0"



### PROPOSED CABINET ELEVATION E

SCALE 1/2"=1'-0"



## PROPOSED CABINET ELEVATION F

SCALE 1/2"=1'-0"

ADDITION TO THE KINGSLEY RESIDENCE 1623 ROSEWOOD AVE LOUISVILLE, KY 40204

sheet

The Designer/Consultant or its agents or subcontractors shall have no responsibility for the identification, discovery, presence, handling, removal or disposal of, or exposure of persons to, hazardous materials in any form at the project site.

Designer is retained solely for preparation of design concepts only and shall not be responsible for proper sizing or strength of structural components or the mechanical or electrical requirements of the structure.